

<b>SUBJECT</b>	DRY OPERATING WEIGHT AND INDEX TABLE & EFFECTIVE LOADTRIMSHEET
<b>BULLETIN NUMBER-ISSUE DATE</b>	2015/ REV14 - 10.Apr.2015
<b>EFFECTIVE DATE</b>	10.Apr.2015
<b>EXPIRY DATE(*)</b>	UFN

**TC-JLM**

MANUAL LOADTRIMSHEETS WITH FOLLOWING REF.CODES ARE EFFECTIVE "12.DEC.2012 LOAD&TRIM SHEET 132 SEAT A319-132"  
Select the proper DOW/DOI from the below table prepared for several possible standard cockpit/cabin crew,pantry codes & potable water tanks fill ratio. All weights are in KG

% 100 POTABLE WATER				% 75 POTABLE WATER			
CREW	PANTRY CODES			CREW	PANTRY CODES		
	N	D	G		N	D	G
2/0	41859	41536	41756	2/0	41809	41486	41706
	51	50.8	51.7		50.4	50.2	51.1
2/3	42084	41761	41981	2/3	42034	41711	41931
	51.9	51.7	52.6		51.3	51.1	52
2/4	42159	41836	42056	2/4	42109	41786	42006
	51.1	50.9	51.8		50.5	50.3	51.2
2/5	42234	41911	42131	2/5	42184	41861	42081
	51.9	51.7	52.6		51.3	51.1	52
3/0	41944	41621	41841	3/0	41894	41571	41791
	50	49.8	50.7		49.4	49.2	50.1
3/3	42169	41846	42066	3/3	42119	41796	42016
	50.9	50.7	51.6		50.3	50.1	51
3/4	42244	41921	42141	3/4	42194	41871	42091
	50.1	49.9	50.8		49.5	49.3	50.2
3/5	42319	41996	42216	3/5	42269	41946	42166
	50.9	50.7	51.6		50.3	50.1	51
4/0	42029	41706	41926	4/0	41979	41656	41876
	49	48.8	49.7		48.4	48.2	49.1
4/3	42254	41931	42151	4/3	42204	41881	42101
	49.9	49.7	50.6		49.3	49.1	50
4/4	42329	42006	42226	4/4	42279	41956	42176
	49.1	48.9	49.8		48.5	48.3	49.2
4/5	42404	42081	42301	4/5	42354	42031	42251
	49.9	49.7	50.6		49.3	49.1	50

REMARKS: N All International Flights D Domestic Flights 1way G Domestic Flights Return Pantry  
DOI calculation remark : During Index Calculations due to DCS system rounding (or truncating), approximately +/- 0.3 index difference is acceptable.

**Note:** In case of occupying passenger seats rather than crew seats by cockpit/cabin crew/ and/or technician who are on duty;

- Crew/Cabin crew:75 kgs Cockpit crew:85 kgs) and technician (85 kgs) weights and their index influence based on passenger seats shall be added to DOW/DOI values on AHM tables.
- Cabin crew and technician who occupy passenger seat are not shown in the crew section on Load Sheet.

<b>SUBJECT</b>	DRY OPERATING WEIGHT AND INDEX TABLE & EFFECTIVE LOADTRIMSHEET
<b>BULLETIN NUMBER-ISSUE DATE</b>	2015/ REV14 - 10.Apr.2015
<b>EFFECTIVE DATE</b>	10.Apr.2015
<b>EXPIRY DATE(*)</b>	UFN

**TC-JLM**

MANUAL LOADTRIMSHEETS WITH FOLLOWING REF.CODES ARE EFFECTIVE "12.DEC.2012 LOAD&TRIM SHEET 132 SEAT A319-132"  
Select the proper DOW/DOI from the below table prepared for several possible standard cockpit/cabin crew,pantry codes & potable water tanks fill ratio. All weights are in KG

% 50 POTABLE WATER				% 25 POTABLE WATER			
CREW	PANTRY CODES			CREW	PANTRY CODES		
	N	D	G		N	D	G
2/0	41759	41436	41656	2/0	41709	41386	41606
	49.9	49.7	50.6		49.3	49.1	50
2/3	41984	41661	41881	2/3	41934	41611	41831
	50.8	50.6	51.5		50.2	50	50.9
2/4	42059	41736	41956	2/4	42009	41686	41906
	50	49.8	50.7		49.4	49.2	50.1
2/5	42134	41811	42031	2/5	42084	41761	41981
	50.8	50.6	51.5		50.2	50	50.9
3/0	41844	41521	41741	3/0	41794	41471	41691
	48.9	48.7	49.6		48.3	48.1	49
3/3	42069	41746	41966	3/3	42019	41696	41916
	49.8	49.6	50.5		49.2	49	49.9
3/4	42144	41821	42041	3/4	42094	41771	41991
	49	48.8	49.7		48.4	48.2	49.1
3/5	42219	41896	42116	3/5	42169	41846	42066
	49.8	49.6	50.5		49.2	49	49.9
4/0	41929	41606	41826	4/0	41879	41556	41776
	47.9	47.7	48.6		47.3	47.1	48
4/3	42154	41831	42051	4/3	42104	41781	42001
	48.8	48.6	49.5		48.2	48	48.9
4/4	42229	41906	42126	4/4	42179	41856	42076
	48	47.8	48.7		47.4	47.2	48.1
4/5	42304	41981	42201	4/5	42254	41931	42151
	48.8	48.6	49.5		48.2	48	48.9

REMARKS: N All International Flights D Domestic Flights 1way G Domestic Flights Return Pantry  
DOI calculation remark : During Index Calculations due to DCS system rounding (or truncating), approximately +/- 0.3 index difference is acceptable.

**Note:** In case of occupying passenger seats rather than crew seats by cockpit/cabin crew/ and/or technician who are on duty;

- Crew/Cabin crew:75 kgs Cockpit crew:85 kgs) and technician (85 kgs) weights and their index influence based on passenger seats shall be added to DOW/DOI values on AHM tables.
- Cabin crew and technician who occupy passenger seat are not shown in the crew section on Load Sheet.

<b>SUBJECT</b>	DRY OPERATING WEIGHT AND INDEX TABLE & EFFECTIVE LOADTRIMSHEET
<b>BULLETIN NUMBER-ISSUE DATE</b>	2015/ REV14 - 10.Apr.2015
<b>EFFECTIVE DATE</b>	10.Apr.2015
<b>EXPIRY DATE(*)</b>	UFN

**TC-JLN**

MANUAL LOADTRIMSHEETS WITH FOLLOWING REF.CODES ARE EFFECTIVE "12.DEC.2012 LOAD&TRIM SHEET 132 SEAT A319-132"  
Select the proper DOW/DOI from the below table prepared for several possible standard cockpit/cabin crew,pantry codes & potable water tanks fill ratio. All weights are in KG

% 100 POTABLE WATER				% 75 POTABLE WATER			
CREW	PANTRY CODES			CREW	PANTRY CODES		
	N	D	G		N	D	G
2/0	41809	41486	41706	2/0	41759	41436	41656
	51.3	51.1	52		50.7	50.5	51.4
2/3	42034	41711	41931	2/3	41984	41661	41881
	52.2	52	52.9		51.6	51.4	52.3
2/4	42109	41786	42006	2/4	42059	41736	41956
	51.4	51.2	52.1		50.8	50.6	51.5
2/5	42184	41861	42081	2/5	42134	41811	42031
	52.2	52	52.9		51.6	51.4	52.3
3/0	41894	41571	41791	3/0	41844	41521	41741
	50.3	50.1	51		49.7	49.5	50.4
3/3	42119	41796	42016	3/3	42069	41746	41966
	51.2	51	51.9		50.6	50.4	51.3
3/4	42194	41871	42091	3/4	42144	41821	42041
	50.4	50.2	51.1		49.8	49.6	50.5
3/5	42269	41946	42166	3/5	42219	41896	42116
	51.2	51	51.9		50.6	50.4	51.3
4/0	41979	41656	41876	4/0	41929	41606	41826
	49.3	49.1	50		48.7	48.5	49.4
4/3	42204	41881	42101	4/3	42154	41831	42051
	50.2	50	50.9		49.6	49.4	50.3
4/4	42279	41956	42176	4/4	42229	41906	42126
	49.4	49.2	50.1		48.8	48.6	49.5
4/5	42354	42031	42251	4/5	42304	41981	42201
	50.2	50	50.9		49.6	49.4	50.3

REMARKS: N All International Flights D Domestic Flights 1way G Domestic Flights Return Pantry  
DOI calculation remark : During Index Calculations due to DCS system rounding (or truncating), approximately +/- 0.3 index difference is acceptable.

**Note:** In case of occupying passenger seats rather than crew seats by cockpit/cabin crew/ and/or technician who are on duty;

- Crew/Cabin crew:75 kgs Cockpit crew:85 kgs) and technician (85 kgs) weights and their index influence based on passenger seats shall be added to DOW/DOI values on AHM tables.
- Cabin crew and technician who occupy passenger seat are not shown in the crew section on Load Sheet.

<b>SUBJECT</b>	DRY OPERATING WEIGHT AND INDEX TABLE & EFFECTIVE LOADTRIMSHEET
<b>BULLETIN NUMBER-ISSUE DATE</b>	2015/ REV14 - 10.Apr.2015
<b>EFFECTIVE DATE</b>	10.Apr.2015
<b>EXPIRY DATE(*)</b>	UFN

**TC-JLN**

MANUAL LOADTRIMSHEETS WITH FOLLOWING REF.CODES ARE EFFECTIVE "12.DEC.2012 LOAD&TRIM SHEET 132 SEAT A319-132"  
Select the proper DOW/DOI from the below table prepared for several possible standard cockpit/cabin crew,pantry codes & potable water tanks fill ratio. All weights are in KG

% 50 POTABLE WATER				% 25 POTABLE WATER			
CREW	PANTRY CODES			CREW	PANTRY CODES		
	N	D	G		N	D	G
2/0	41709	41386	41606	2/0	41659	41336	41556
	50.2	50	50.9		49.6	49.4	50.3
2/3	41934	41611	41831	2/3	41884	41561	41781
	51.1	50.9	51.8		50.5	50.3	51.2
2/4	42009	41686	41906	2/4	41959	41636	41856
	50.3	50.1	51		49.7	49.5	50.4
2/5	42084	41761	41981	2/5	42034	41711	41931
	51.1	50.9	51.8		50.5	50.3	51.2
3/0	41794	41471	41691	3/0	41744	41421	41641
	49.2	49	49.9		48.6	48.4	49.3
3/3	42019	41696	41916	3/3	41969	41646	41866
	50.1	49.9	50.8		49.5	49.3	50.2
3/4	42094	41771	41991	3/4	42044	41721	41941
	49.3	49.1	50		48.7	48.5	49.4
3/5	42169	41846	42066	3/5	42119	41796	42016
	50.1	49.9	50.8		49.5	49.3	50.2
4/0	41879	41556	41776	4/0	41829	41506	41726
	48.2	48	48.9		47.6	47.4	48.3
4/3	42104	41781	42001	4/3	42054	41731	41951
	49.1	48.9	49.8		48.5	48.3	49.2
4/4	42179	41856	42076	4/4	42129	41806	42026
	48.3	48.1	49		47.7	47.5	48.4
4/5	42254	41931	42151	4/5	42204	41881	42101
	49.1	48.9	49.8		48.5	48.3	49.2

REMARKS: N All International Flights D Domestic Flights 1way G Domestic Flights Return Pantry  
DOI calculation remark : During Index Calculations due to DCS system rounding (or truncating), approximately +/- 0.3 index difference is acceptable.

**Note:** In case of occupying passenger seats rather than crew seats by cockpit/cabin crew/ and/or technician who are on duty;

- Crew/Cabin crew:75 kgs Cockpit crew:85 kgs) and technician (85 kgs) weights and their index influence based on passenger seats shall be added to DOW/DOI values on AHM tables.
- Cabin crew and technician who occupy passenger seat are not shown in the crew section on Load Sheet.

<b>SUBJECT</b>	DRY OPERATING WEIGHT AND INDEX TABLE & EFFECTIVE LOADTRIMSHEET
<b>BULLETIN NUMBER-ISSUE DATE</b>	2015/ REV14 - 10.Apr.2015
<b>EFFECTIVE DATE</b>	10.Apr.2015
<b>EXPIRY DATE(*)</b>	UFN

**TC-JLO**

MANUAL LOADTRIMSHEETS WITH FOLLOWING REF.CODES ARE EFFECTIVE "12.DEC.2012 LOAD&TRIM SHEET 132 SEAT A319-132"  
Select the proper DOW/DOI from the below table prepared for several possible standard cockpit/cabin crew,pantry codes & potable water tanks fill ratio. All weights are in KG

% 100 POTABLE WATER				% 75 POTABLE WATER			
CREW	PANTRY CODES			CREW	PANTRY CODES		
	N	D	G		N	D	G
2/0	41645	41322	41542	2/0	41595	41272	41492
	49.7	49.5	50.4		49.1	48.9	49.8
2/3	41870	41547	41767	2/3	41820	41497	41717
	50.6	50.4	51.3		50	49.8	50.7
2/4	41945	41622	41842	2/4	41895	41572	41792
	49.8	49.6	50.5		49.2	49	49.9
2/5	42020	41697	41917	2/5	41970	41647	41867
	50.6	50.4	51.3		50	49.8	50.7
2/6	42095	41772	41992	2/6	42045	41722	41942
	51.5	51.3	52.2		50.9	50.7	51.6
3/0	41730	41407	41627	3/0	41680	41357	41577
	48.7	48.5	49.4		48.1	47.9	48.8
3/3	41955	41632	41852	3/3	41905	41582	41802
	49.6	49.4	50.3		49	48.8	49.7
3/4	42030	41707	41927	3/4	41980	41657	41877
	48.8	48.6	49.5		48.2	48	48.9
3/5	42105	41782	42002	3/5	42055	41732	41952
	49.6	49.4	50.3		49	48.8	49.7
3/6	42180	41857	42077	3/6	42130	41807	42027
	50.5	50.3	51.2		49.9	49.7	50.6
4/0	41815	41492	41712	4/0	41765	41442	41662
	47.7	47.5	48.4		47.1	46.9	47.8
4/3	42040	41717	41937	4/3	41990	41667	41887
	48.6	48.4	49.3		48	47.8	48.7
4/4	42115	41792	42012	4/4	42065	41742	41962
	47.8	47.6	48.5		47.2	47	47.9
4/5	42190	41867	42087	4/5	42140	41817	42037
	48.6	48.4	49.3		48	47.8	48.7
4/6	42265	41942	42162	4/6	42215	41892	42112
	49.5	49.3	50.2		48.9	48.7	49.6

REMARKS: N All International Flights D Domestic Flights 1way G Domestic Flights Return Pantry  
DOI calculation remark : During Index Calculations due to DCS system rounding (or truncating), approximately +/- 0.3 index difference is acceptable.

**Note:** In case of occupying passenger seats rather than crew seats by cockpit/cabin crew/ and/or technician who are on duty;

- Crew/Cabin crew:75 kgs Cockpit crew:85 kgs) and technician (85 kgs) weights and their index influence based on passenger seats shall be added to DOW/DOI values on AHM tables.

- Cabin crew and technician who occupy passenger seat are not shown in the crew section on Load Sheet.

<b>SUBJECT</b>	DRY OPERATING WEIGHT AND INDEX TABLE & EFFECTIVE LOADTRIMSHEET
<b>BULLETIN NUMBER-ISSUE DATE</b>	2015/ REV14 - 10.Apr.2015
<b>EFFECTIVE DATE</b>	10.Apr.2015
<b>EXPIRY DATE(*)</b>	UFN

**TC-JLO**

MANUAL LOADTRIMSHEETS WITH FOLLOWING REF.CODES ARE EFFECTIVE "12.DEC.2012 LOAD&TRIM SHEET 132 SEAT A319-132"  
Select the proper DOW/DOI from the below table prepared for several possible standard cockpit/cabin crew,pantry codes & potable water tanks fill ratio. All weights are in KG

% 50 POTABLE WATER				% 25 POTABLE WATER			
CREW	PANTRY CODES			CREW	PANTRY CODES		
	N	D	G		N	D	G
2/0	41545	41222	41442	2/0	41495	41172	41392
	48.6	48.4	49.3		48	47.8	48.7
2/3	41770	41447	41667	2/3	41720	41397	41617
	49.5	49.3	50.2		48.9	48.7	49.6
2/4	41845	41522	41742	2/4	41795	41472	41692
	48.7	48.5	49.4		48.1	47.9	48.8
2/5	41920	41597	41817	2/5	41870	41547	41767
	49.5	49.3	50.2		48.9	48.7	49.6
2/6	41995	41672	41892	2/6	41945	41622	41842
	50.4	50.2	51.1		49.8	49.6	50.5
3/0	41630	41307	41527	3/0	41580	41257	41477
	47.6	47.4	48.3		47	46.8	47.7
3/3	41855	41532	41752	3/3	41805	41482	41702
	48.5	48.3	49.2		47.9	47.7	48.6
3/4	41930	41607	41827	3/4	41880	41557	41777
	47.7	47.5	48.4		47.1	46.9	47.8
3/5	42005	41682	41902	3/5	41955	41632	41852
	48.5	48.3	49.2		47.9	47.7	48.6
3/6	42080	41757	41977	3/6	42030	41707	41927
	49.4	49.2	50.1		48.8	48.6	49.5
4/0	41715	41392	41612	4/0	41665	41342	41562
	46.6	46.4	47.3		46	45.8	46.7
4/3	41940	41617	41837	4/3	41890	41567	41787
	47.5	47.3	48.2		46.9	46.7	47.6
4/4	42015	41692	41912	4/4	41965	41642	41862
	46.7	46.5	47.4		46.1	45.9	46.8
4/5	42090	41767	41987	4/5	42040	41717	41937
	47.5	47.3	48.2		46.9	46.7	47.6
4/6	42165	41842	42062	4/6	42115	41792	42012
	48.4	48.2	49.1		47.8	47.6	48.5

REMARKS: N All International Flights D Domestic Flights 1way G Domestic Flights Return Pantry  
DOI calculation remark : During Index Calculations due to DCS system rounding (or truncating), approximately +/- 0.3 index difference is acceptable.

**Note:** In case of occupying passenger seats rather than crew seats by cockpit/cabin crew/ and/or technician who are on duty;

- Crew/Cabin crew:75 kgs Cockpit crew:85 kgs) and technician (85 kgs) weights and their index influence based on passenger seats shall be added to DOW/DOI values on AHM tables.

- Cabin crew and technician who occupy passenger seat are not shown in the crew section on Load Sheet.

<b>SUBJECT</b>	DRY OPERATING WEIGHT AND INDEX TABLE & EFFECTIVE LOADTRIMSHEET
<b>BULLETIN NUMBER-ISSUE DATE</b>	2016/ REV20 - 03.Oct.2016
<b>EFFECTIVE DATE</b>	03.Oct.2016
<b>EXPIRY DATE(*)</b>	UFN

**TC-JLP**

MANUAL LOADTRIMSHEETS WITH FOLLOWING REF.CODES ARE EFFECTIVE "12.DEC.2012 LOAD&TRIM SHEET 132 SEAT A319-132"  
Select the proper DOW/DOI from the below table prepared for several possible standard cockpit/cabin crew,pantry codes & potable water tanks fill ratio. All weights are in KG

% 100 POTABLE WATER				% 75 POTABLE WATER			
CREW	PANTRY CODES			CREW	PANTRY CODES		
	N	D	G		N	D	G
2/0	41692	41369	41589	2/0	41642	41319	41539
	50.1	49.9	50.8		49.5	49.3	50.2
2/3	41917	41594	41814	2/3	41867	41544	41764
	51	50.8	51.7		50.4	50.2	51.1
2/4	41992	41669	41889	2/4	41942	41619	41839
	50.2	50	50.9		49.6	49.4	50.3
2/5	42067	41744	41964	2/5	42017	41694	41914
	51	50.8	51.7		50.4	50.2	51.1
2/6	42142	41819	42039	2/6	42092	41769	41989
	51.9	51.7	52.6		51.3	51.1	52
3/0	41777	41454	41674	3/0	41727	41404	41624
	49.1	48.9	49.8		48.5	48.3	49.2
3/3	42002	41679	41899	3/3	41952	41629	41849
	50	49.8	50.7		49.4	49.2	50.1
3/4	42077	41754	41974	3/4	42027	41704	41924
	49.2	49	49.9		48.6	48.4	49.3
3/5	42152	41829	42049	3/5	42102	41779	41999
	50	49.8	50.7		49.4	49.2	50.1
3/6	42227	41904	42124	3/6	42177	41854	42074
	50.9	50.7	51.6		50.3	50.1	51
4/0	41862	41539	41759	4/0	41812	41489	41709
	48.1	47.9	48.8		47.5	47.3	48.2
4/3	42087	41764	41984	4/3	42037	41714	41934
	49	48.8	49.7		48.4	48.2	49.1
4/4	42162	41839	42059	4/4	42112	41789	42009
	48.2	48	48.9		47.6	47.4	48.3
4/5	42237	41914	42134	4/5	42187	41864	42084
	49	48.8	49.7		48.4	48.2	49.1
4/6	42312	41989	42209	4/6	42262	41939	42159
	49.9	49.7	50.6		49.3	49.1	50

REMARKS: N All International Flights D Domestic Flights 1way G Domestic Flights Return Pantry  
DOI calculation remark : During Index Calculations due to DCS system rounding (or truncating), approximately +/- 0.3 index difference is acceptable.

**Note:** In case of occupying passenger seats rather than crew seats by cockpit/cabin crew/ and/or technician who are on duty;

- Crew/Cabin crew:75 kgs Cockpit crew:85 kgs) and technician (85 kgs) weights and their index influence based on passenger seats shall be added to DOW/DOI values on AHM tables.

- Cabin crew and technician who occupy passenger seat are not shown in the crew section on Load Sheet.

<b>SUBJECT</b>	DRY OPERATING WEIGHT AND INDEX TABLE & EFFECTIVE LOADTRIMSHEET
<b>BULLETIN NUMBER-ISSUE DATE</b>	2016/ REV20 - 03.Oct.2016
<b>EFFECTIVE DATE</b>	03.Oct.2016
<b>EXPIRY DATE(*)</b>	UFN

**TC-JLP**

MANUAL LOADTRIMSHEETS WITH FOLLOWING REF.CODES ARE EFFECTIVE "12.DEC.2012 LOAD&TRIM SHEET 132 SEAT A319-132"  
Select the proper DOW/DOI from the below table prepared for several possible standard cockpit/cabin crew,pantry codes & potable water tanks fill ratio. All weights are in KG

% 50 POTABLE WATER				% 25 POTABLE WATER			
CREW	PANTRY CODES			CREW	PANTRY CODES		
	N	D	G		N	D	G
2/0	41592	41269	41489	2/0	41542	41219	41439
	49	48.8	49.7		48.4	48.2	49.1
2/3	41817	41494	41714	2/3	41767	41444	41664
	49.9	49.7	50.6		49.3	49.1	50
2/4	41892	41569	41789	2/4	41842	41519	41739
	49.1	48.9	49.8		48.5	48.3	49.2
2/5	41967	41644	41864	2/5	41917	41594	41814
	49.9	49.7	50.6		49.3	49.1	50
2/6	42042	41719	41939	2/6	41992	41669	41889
	50.8	50.6	51.5		50.2	50	50.9
3/0	41677	41354	41574	3/0	41627	41304	41524
	48	47.8	48.7		47.4	47.2	48.1
3/3	41902	41579	41799	3/3	41852	41529	41749
	48.9	48.7	49.6		48.3	48.1	49
3/4	41977	41654	41874	3/4	41927	41604	41824
	48.1	47.9	48.8		47.5	47.3	48.2
3/5	42052	41729	41949	3/5	42002	41679	41899
	48.9	48.7	49.6		48.3	48.1	49
3/6	42127	41804	42024	3/6	42077	41754	41974
	49.8	49.6	50.5		49.2	49	49.9
4/0	41762	41439	41659	4/0	41712	41389	41609
	47	46.8	47.7		46.4	46.2	47.1
4/3	41987	41664	41884	4/3	41937	41614	41834
	47.9	47.7	48.6		47.3	47.1	48
4/4	42062	41739	41959	4/4	42012	41689	41909
	47.1	46.9	47.8		46.5	46.3	47.2
4/5	42137	41814	42034	4/5	42087	41764	41984
	47.9	47.7	48.6		47.3	47.1	48
4/6	42212	41889	42109	4/6	42162	41839	42059
	48.8	48.6	49.5		48.2	48	48.9

REMARKS: N All International Flights D Domestic Flights 1way G Domestic Flights Return Pantry  
DOI calculation remark : During Index Calculations due to DCS system rounding (or truncating), approximately +/- 0.3 index difference is acceptable.

**Note:** In case of occupying passenger seats rather than crew seats by cockpit/cabin crew/ and/or technician who are on duty;

- Crew/Cabin crew:75 kgs Cockpit crew:85 kgs) and technician (85 kgs) weights and their index influence based on passenger seats shall be added to DOW/DOI values on AHM tables.

- Cabin crew and technician who occupy passenger seat are not shown in the crew section on Load Sheet.



<b>SUBJECT</b>	DRY OPERATING WEIGHT AND INDEX TABLE & EFFECTIVE LOADTRIMSHEET
<b>BULLETIN NUMBER-ISSUE DATE</b>	2017/ REV15 - 16.Jan.2017
<b>EFFECTIVE DATE</b>	16.Jan.2017
<b>EXPIRY DATE(*)</b>	UFN

**TC-JLR**

MANUAL LOADTRIMSHEETS WITH FOLLOWING REF.CODES ARE EFFECTIVE "12.DEC.2012 LOAD&TRIM SHEET 132 SEAT A319-132"  
Select the proper DOW/DOI from the below table prepared for several possible standard cockpit/cabin crew,pantry codes & potable water tanks fill ratio. All weights are in KG

% 100 POTABLE WATER				% 75 POTABLE WATER			
CREW	PANTRY CODES			CREW	PANTRY CODES		
	N	D	G		N	D	G
2/0	42006	41683	41903	2/0	41956	41633	41853
	50.6	50.4	51.3		50	49.8	50.7
2/3	42231	41908	42128	2/3	42181	41858	42078
	51.5	51.3	52.2		50.9	50.7	51.6
2/4	42306	41983	42203	2/4	42256	41933	42153
	50.7	50.5	51.4		50.1	49.9	50.8
2/5	42381	42058	42278	2/5	42331	42008	42228
	51.5	51.3	52.2		50.9	50.7	51.6
2/6	42456	42133	42353	2/6	42406	42083	42303
	52.4	52.2	53.1		51.8	51.6	52.5
3/0	42091	41768	41988	3/0	42041	41718	41938
	49.6	49.4	50.3		49	48.8	49.7
3/3	42316	41993	42213	3/3	42266	41943	42163
	50.5	50.3	51.2		49.9	49.7	50.6
3/4	42391	42068	42288	3/4	42341	42018	42238
	49.7	49.5	50.4		49.1	48.9	49.8
3/5	42466	42143	42363	3/5	42416	42093	42313
	50.5	50.3	51.2		49.9	49.7	50.6
3/6	42541	42218	42438	3/6	42491	42168	42388
	51.4	51.2	52.1		50.8	50.6	51.5
4/0	42176	41853	42073	4/0	42126	41803	42023
	48.6	48.4	49.3		48	47.8	48.7
4/3	42401	42078	42298	4/3	42351	42028	42248
	49.5	49.3	50.2		48.9	48.7	49.6
4/4	42476	42153	42373	4/4	42426	42103	42323
	48.7	48.5	49.4		48.1	47.9	48.8
4/5	42551	42228	42448	4/5	42501	42178	42398
	49.5	49.3	50.2		48.9	48.7	49.6
4/6	42626	42303	42523	4/6	42576	42253	42473
	50.4	50.2	51.1		49.8	49.6	50.5

REMARKS: N All International Flights D Domestic Flights 1way G Domestic Flights Return Pantry  
DOI calculation remark : During Index Calculations due to DCS system rounding (or truncating), approximately +/- 0.3 index difference is acceptable.

**Note:** In case of occupying passenger seats rather than crew seats by cockpit/cabin crew/ and/or technician who are on duty;

- Crew/Cabin crew:75 kgs Cockpit crew:85 kgs) and technician (85 kgs) weights and their index influence based on passenger seats shall be added to DOW/DOI values on AHM tables.

- Cabin crew and technician who occupy passenger seat are not shown in the crew section on Load Sheet.

<b>SUBJECT</b>	DRY OPERATING WEIGHT AND INDEX TABLE & EFFECTIVE LOADTRIMSHEET
<b>BULLETIN NUMBER-ISSUE DATE</b>	2017/ REV15 - 16.Jan.2017
<b>EFFECTIVE DATE</b>	16.Jan.2017
<b>EXPIRY DATE(*)</b>	UFN

**TC-JLR**

MANUAL LOADTRIMSHEETS WITH FOLLOWING REF.CODES ARE EFFECTIVE "12.DEC.2012 LOAD&TRIM SHEET 132 SEAT A319-132"  
Select the proper DOW/DOI from the below table prepared for several possible standard cockpit/cabin crew,pantry codes & potable water tanks fill ratio. All weights are in KG

% 50 POTABLE WATER				% 25 POTABLE WATER			
CREW	PANTRY CODES			CREW	PANTRY CODES		
	N	D	G		N	D	G
2/0	41906	41583	41803	2/0	41856	41533	41753
	49.5	49.3	50.2		48.9	48.7	49.6
2/3	42131	41808	42028	2/3	42081	41758	41978
	50.4	50.2	51.1		49.8	49.6	50.5
2/4	42206	41883	42103	2/4	42156	41833	42053
	49.6	49.4	50.3		49	48.8	49.7
2/5	42281	41958	42178	2/5	42231	41908	42128
	50.4	50.2	51.1		49.8	49.6	50.5
2/6	42356	42033	42253	2/6	42306	41983	42203
	51.3	51.1	52		50.7	50.5	51.4
3/0	41991	41668	41888	3/0	41941	41618	41838
	48.5	48.3	49.2		47.9	47.7	48.6
3/3	42216	41893	42113	3/3	42166	41843	42063
	49.4	49.2	50.1		48.8	48.6	49.5
3/4	42291	41968	42188	3/4	42241	41918	42138
	48.6	48.4	49.3		48	47.8	48.7
3/5	42366	42043	42263	3/5	42316	41993	42213
	49.4	49.2	50.1		48.8	48.6	49.5
3/6	42441	42118	42338	3/6	42391	42068	42288
	50.3	50.1	51		49.7	49.5	50.4
4/0	42076	41753	41973	4/0	42026	41703	41923
	47.5	47.3	48.2		46.9	46.7	47.6
4/3	42301	41978	42198	4/3	42251	41928	42148
	48.4	48.2	49.1		47.8	47.6	48.5
4/4	42376	42053	42273	4/4	42326	42003	42223
	47.6	47.4	48.3		47	46.8	47.7
4/5	42451	42128	42348	4/5	42401	42078	42298
	48.4	48.2	49.1		47.8	47.6	48.5
4/6	42526	42203	42423	4/6	42476	42153	42373
	49.3	49.1	50		48.7	48.5	49.4

REMARKS: N All International Flights D Domestic Flights 1way G Domestic Flights Return Pantry  
DOI calculation remark : During Index Calculations due to DCS system rounding (or truncating), approximately +/- 0.3 index difference is acceptable.

**Note:** In case of occupying passenger seats rather than crew seats by cockpit/cabin crew/ and/or technician who are on duty;

- Crew/Cabin crew:75 kgs Cockpit crew:85 kgs) and technician (85 kgs) weights and their index influence based on passenger seats shall be added to DOW/DOI values on AHM tables.

- Cabin crew and technician who occupy passenger seat are not shown in the crew section on Load Sheet.

<b>SUBJECT</b>	DRY OPERATING WEIGHT AND INDEX TABLE & EFFECTIVE LOADTRIMSHEET
<b>BULLETIN NUMBER-ISSUE DATE</b>	2016/ REV22 - 25.Nov.2016
<b>EFFECTIVE DATE</b>	25.Nov.2016
<b>EXPIRY DATE(*)</b>	UFN

**TC-JLS**

MANUAL LOADTRIMSHEETS WITH FOLLOWING REF.CODES ARE EFFECTIVE "14.DEC.2012 LOAD&TRIM SHEET 132 SEAT A319-132"  
Select the proper DOW/DOI from the below table prepared for several possible standard cockpit/cabin crew,pantry codes & potable water tanks fill ratio. All weights are in KG

% 100 POTABLE WATER				% 75 POTABLE WATER			
CREW	PANTRY CODES			CREW	PANTRY CODES		
	N	D	G		N	D	G
2/0	42186	41863	42083	2/0	42136	41813	42033
	50,1	49,9	50,8		49,5	49,3	50,2
2/3	42411	42088	42308	2/3	42361	42038	42258
	51	50,8	51,7		50,4	50,2	51,1
2/4	42486	42163	42383	2/4	42436	42113	42333
	50,2	50	50,9		49,6	49,4	50,3
2/5	42561	42238	42458	2/5	42511	42188	42408
	51	50,8	51,7		50,4	50,2	51,1
2/6	42636	42313	42533	2/6	42586	42263	42483
	51,9	51,7	52,6		51,3	51,1	52
3/0	42271	41948	42168	3/0	42221	41898	42118
	49,1	48,9	49,8		48,5	48,3	49,2
3/3	42496	42173	42393	3/3	42446	42123	42343
	50	49,8	50,7		49,4	49,2	50,1
3/4	42571	42248	42468	3/4	42521	42198	42418
	49,2	49	49,9		48,6	48,4	49,3
3/5	42646	42323	42543	3/5	42596	42273	42493
	50	49,8	50,7		49,4	49,2	50,1
3/6	42721	42398	42618	3/6	42671	42348	42568
	50,9	50,7	51,6		50,3	50,1	51

% 50 POTABLE WATER				% 25 POTABLE WATER			
CREW	N	D	G	CREW	N	D	G
2/0	42086	41763	41983	2/0	42036	41713	41933
	49	48,8	49,7		48,4	48,2	49,1
2/3	42311	41988	42208	2/3	42261	41938	42158
	49,9	49,7	50,6		49,3	49,1	50
2/4	42386	42063	42283	2/4	42336	42013	42233
	49,1	48,9	49,8		48,5	48,3	49,2
2/5	42461	42138	42358	2/5	42411	42088	42308
	49,9	49,7	50,6		49,3	49,1	50
2/6	42536	42213	42433	2/6	42486	42163	42383
	50,8	50,6	51,5		50,2	50	50,9
3/0	42171	41848	42068	3/0	42121	41798	42018
	48	47,8	48,7		47,4	47,2	48,1
3/3	42396	42073	42293	3/3	42346	42023	42243
	48,9	48,7	49,6		48,3	48,1	49
3/4	42471	42148	42368	3/4	42421	42098	42318
	48,1	47,9	48,8		47,5	47,3	48,2
3/5	42546	42223	42443	3/5	42496	42173	42393
	48,9	48,7	49,6		48,3	48,1	49
3/6	42621	42298	42518	3/6	42571	42248	42468
	49,8	49,6	50,5		49,2	49	49,9

REMARKS: N All International Flights D Domestic Flights 1way G Domestic Flights Return Pantry  
DOI calculation remark : During Index Calculations due to DCS system rounding (or truncating), approximately +/- 0.3 index difference is acceptable.  
**Note:** In case of occupying passenger seats rather than crew seats by cockpit/cabin crew/ and/or technician who are on duty;  
• Crew(Cabin crew:75 kgs Cockpit crew:85 kgs) and technician (85 kgs) weights and their index influence based on passenger seats shall be added to DOW/DOI values on AFM tables.  
• Cabin crew and technician who occupy passenger seat are not shown in the crew section on Load Sheet.

<b>SUBJECT</b>	DRY OPERATING WEIGHT AND INDEX TABLE & EFFECTIVE LOADTRIMSHEET
<b>BULLETIN NUMBER-ISSUE DATE</b>	2016/ REV21 - 08.Nov.2016
<b>EFFECTIVE DATE</b>	08.Nov.2016
<b>EXPIRY DATE(*)</b>	UFN

**TC-JLT**

MANUAL LOADTRIMSHEETS WITH FOLLOWING REF.CODES ARE EFFECTIVE "14.DEC.2012 LOAD&TRIM SHEET 132 SEAT A319-132"  
Select the proper DOW/DOI from the below table prepared for several possible standard cockpit/cabin crew,pantry codes & potable water tanks fill ratio. All weights are in KG

% 100 POTABLE WATER				% 75 POTABLE WATER			
CREW	PANTRY CODES			CREW	PANTRY CODES		
	N	D	G		N	D	G
2/0	42160	41837	42057	2/0	42110	41787	42007
	50	49.8	50.7		49.4	49.2	50.1
2/3	42385	42062	42282	2/3	42335	42012	42232
	50.9	50.7	51.6		50.3	50.1	51
2/4	42460	42137	42357	2/4	42410	42087	42307
	50.1	49.9	50.8		49.5	49.3	50.2
2/5	42535	42212	42432	2/5	42485	42162	42382
	50.9	50.7	51.6		50.3	50.1	51
2/6	42610	42287	42507	2/6	42560	42237	42457
	51.8	51.6	52.5		51.2	51	51.9

3/0	42245	41922	42142	3/0	42195	41872	42092
	49	48.8	49.7		48.4	48.2	49.1
3/3	42470	42147	42367	3/3	42420	42097	42317
	49.9	49.7	50.6		49.3	49.1	50
3/4	42545	42222	42442	3/4	42495	42172	42392
	49.1	48.9	49.8		48.5	48.3	49.2
3/5	42620	42297	42517	3/5	42570	42247	42467
	49.9	49.7	50.6		49.3	49.1	50
3/6	42695	42372	42592	3/6	42645	42322	42542
	50.8	50.6	51.5		50.2	50	50.9

% 50 POTABLE WATER				% 25 POTABLE WATER			
CREW	N	D	G	CREW	N	D	G
2/0	42060	41737	41957	2/0	42010	41687	41907
	48.9	48.7	49.6		48.3	48.1	49
2/3	42285	41962	42182	2/3	42235	41912	42132
	49.8	49.6	50.5		49.2	49	49.9
2/4	42360	42037	42257	2/4	42310	41987	42207
	49	48.8	49.7		48.4	48.2	49.1
2/5	42435	42112	42332	2/5	42385	42062	42282
	49.8	49.6	50.5		49.2	49	49.9
2/6	42510	42187	42407	2/6	42460	42137	42357
	50.7	50.5	51.4		50.1	49.9	50.8

3/0	42145	41822	42042	3/0	42095	41772	41992
	47.9	47.7	48.6		47.3	47.1	48
3/3	42370	42047	42267	3/3	42320	41997	42217
	48.8	48.6	49.5		48.2	48	48.9
3/4	42445	42122	42342	3/4	42395	42072	42292
	48	47.8	48.7		47.4	47.2	48.1
3/5	42520	42197	42417	3/5	42470	42147	42367
	48.8	48.6	49.5		48.2	48	48.9
3/6	42595	42272	42492	3/6	42545	42222	42442
	49.7	49.5	50.4		49.1	48.9	49.8

REMARKS: N All International Flights D Domestic Flights 1way G Domestic Flights Return Pantry  
DOI calculation remark : During Index Calculations due to DCS system rounding (or truncating), approximately +/- 0.3 index difference is acceptable.

- Note:** In case of occupying passenger seats rather than crew seats by cockpit/cabin crew/ and/or technician who are on duty;
- Crew/Cabin crew:75 kgs Cockpit crew:85 kgs) and technician (85 kgs) weights and their index influence based on passenger seats shall be added to DOW/DOI values on AHM tables.
  - Cabin crew and technician who occupy passenger seat are not shown in the crew section on Load Sheet.

<b>SUBJECT</b>	DRY OPERATING WEIGHT AND INDEX TABLE & EFFECTIVE LOADTRIMSHEET
<b>BULLETIN NUMBER-ISSUE DATE</b>	2015/ REV14 - 10.Apr.2015
<b>EFFECTIVE DATE</b>	10.Apr.2015
<b>EXPIRY DATE(*)</b>	UFN

**TC-JLU**

MANUAL LOADTRIMSHEETS WITH FOLLOWING REF.CODES ARE EFFECTIVE "14.DEC.2012 LOAD&TRIM SHEET 132 SEAT A319-132"  
Select the proper DOW/DOI from the below table prepared for several possible standard cockpit/cabin crew,pantry codes & potable water tanks fill ratio. All weights are in KG

% 100 POTABLE WATER				% 75 POTABLE WATER			
CREW	PANTRY CODES			CREW	PANTRY CODES		
	N	D	G		N	D	G
2/0	42104	41781	42001	2/0	42054	41731	41951
	50.8	50.6	51.5		50.2	50	50.9
2/3	42329	42006	42226	2/3	42279	41956	42176
	51.7	51.5	52.4		51.1	50.9	51.8
2/4	42404	42081	42301	2/4	42354	42031	42251
	50.9	50.7	51.6		50.3	50.1	51
2/5	42479	42156	42376	2/5	42429	42106	42326
	51.7	51.5	52.4		51.1	50.9	51.8
2/6	42554	42231	42451	2/6	42504	42181	42401
	52.6	52.4	53.3		52	51.8	52.7
3/0	42189	41866	42086	3/0	42139	41816	42036
	49.8	49.6	50.5		49.2	49	49.9
3/3	42414	42091	42311	3/3	42364	42041	42261
	50.7	50.5	51.4		50.1	49.9	50.8
3/4	42489	42166	42386	3/4	42439	42116	42336
	49.9	49.7	50.6		49.3	49.1	50
3/5	42564	42241	42461	3/5	42514	42191	42411
	50.7	50.5	51.4		50.1	49.9	50.8
3/6	42639	42316	42536	3/6	42589	42266	42486
	51.6	51.4	52.3		51	50.8	51.7

% 50 POTABLE WATER				% 25 POTABLE WATER			
CREW	N	D	G	CREW	N	D	G
2/0	42004	41681	41901	2/0	41954	41631	41851
	49.7	49.5	50.4		49.1	48.9	49.8
2/3	42229	41906	42126	2/3	42179	41856	42076
	50.6	50.4	51.3		50	49.8	50.7
2/4	42304	41981	42201	2/4	42254	41931	42151
	49.8	49.6	50.5		49.2	49	49.9
2/5	42379	42056	42276	2/5	42329	42006	42226
	50.6	50.4	51.3		50	49.8	50.7
2/6	42454	42131	42351	2/6	42404	42081	42301
	51.5	51.3	52.2		50.9	50.7	51.6
3/0	42089	41766	41986	3/0	42039	41716	41936
	48.7	48.5	49.4		48.1	47.9	48.8
3/3	42314	41991	42211	3/3	42264	41941	42161
	49.6	49.4	50.3		49	48.8	49.7
3/4	42389	42066	42286	3/4	42339	42016	42236
	48.8	48.6	49.5		48.2	48	48.9
3/5	42464	42141	42361	3/5	42414	42091	42311
	49.6	49.4	50.3		49	48.8	49.7
3/6	42539	42216	42436	3/6	42489	42166	42386
	50.5	50.3	51.2		49.9	49.7	50.6

REMARKS: N All International Flights D Domestic Flights 1way G Domestic Flights Return Pantry  
DOI calculation remark : During Index Calculations due to DCS system rounding (or truncating), approximately +/- 0.3 index difference is acceptable.

- Note:** In case of occupying passenger seats rather than crew seats by cockpit/cabin crew/ and/or technician who are on duty;
- Crew/Cabin crew:75 kgs Cockpit crew:85 kgs) and technician (85 kgs) weights and their index influence based on passenger seats shall be added to DOW/DOI values on AHM tables.
  - Cabin crew and technician who occupy passenger seat are not shown in the crew section on Load Sheet.

<b>SUBJECT</b>	DRY OPERATING WEIGHT AND INDEX TABLE & EFFECTIVE LOADTRIMSHEET
<b>BULLETIN NUMBER-ISSUE DATE</b>	2015/ REV14 - 10.Apr.2015
<b>EFFECTIVE DATE</b>	10.Apr.2015
<b>EXPIRY DATE(*)</b>	UFN

**TC-JLV**

MANUAL LOADTRIMSHEETS WITH FOLLOWING REF.CODES ARE EFFECTIVE "14.DEC.2012 LOAD&TRIM SHEET 132 SEAT A319-132"  
Select the proper DOW/DOI from the below table prepared for several possible standard cockpit/cabin crew,pantry codes & potable water tanks fill ratio. All weights are in KG

% 100 POTABLE WATER				% 75 POTABLE WATER			
CREW	PANTRY CODES			CREW	PANTRY CODES		
	N	D	G		N	D	G
2/0	41924	41601	41821	2/0	41874	41551	41771
	50.6	50.4	51.3		50	49.8	50.7
2/3	42149	41826	42046	2/3	42099	41776	41996
	51.5	51.3	52.2		50.9	50.7	51.6
2/4	42224	41901	42121	2/4	42174	41851	42071
	50.7	50.5	51.4		50.1	49.9	50.8
2/5	42299	41976	42196	2/5	42249	41926	42146
	51.5	51.3	52.2		50.9	50.7	51.6
2/6	42374	42051	42271	2/6	42324	42001	42221
	52.4	52.2	53.1		51.8	51.6	52.5
3/0	42009	41686	41906	3/0	41959	41636	41856
	49.6	49.4	50.3		49	48.8	49.7
3/3	42234	41911	42131	3/3	42184	41861	42081
	50.5	50.3	51.2		49.9	49.7	50.6
3/4	42309	41986	42206	3/4	42259	41936	42156
	49.7	49.5	50.4		49.1	48.9	49.8
3/5	42384	42061	42281	3/5	42334	42011	42231
	50.5	50.3	51.2		49.9	49.7	50.6
3/6	42459	42136	42356	3/6	42409	42086	42306
	51.4	51.2	52.1		50.8	50.6	51.5

% 50 POTABLE WATER				% 25 POTABLE WATER			
CREW	N	D	G	CREW	N	D	G
2/0	41824	41501	41721	2/0	41774	41451	41671
	49.5	49.3	50.2		48.9	48.7	49.6
2/3	42049	41726	41946	2/3	41999	41676	41896
	50.4	50.2	51.1		49.8	49.6	50.5
2/4	42124	41801	42021	2/4	42074	41751	41971
	49.6	49.4	50.3		49	48.8	49.7
2/5	42199	41876	42096	2/5	42149	41826	42046
	50.4	50.2	51.1		49.8	49.6	50.5
2/6	42274	41951	42171	2/6	42224	41901	42121
	51.3	51.1	52		50.7	50.5	51.4
3/0	41909	41586	41806	3/0	41859	41536	41756
	48.5	48.3	49.2		47.9	47.7	48.6
3/3	42134	41811	42031	3/3	42084	41761	41981
	49.4	49.2	50.1		48.8	48.6	49.5
3/4	42209	41886	42106	3/4	42159	41836	42056
	48.6	48.4	49.3		48	47.8	48.7
3/5	42284	41961	42181	3/5	42234	41911	42131
	49.4	49.2	50.1		48.8	48.6	49.5
3/6	42359	42036	42256	3/6	42309	41986	42206
	50.3	50.1	51		49.7	49.5	50.4

REMARKS: N All International Flights D Domestic Flights 1way G Domestic Flights Return Pantry  
DOI calculation remark : During Index Calculations due to DCS system rounding (or truncating), approximately +/- 0.3 index difference is acceptable.

**Note:** In case of occupying passenger seats rather than crew seats by cockpit/cabin crew/ and/or technician who are on duty;

• Crew/Cabin crew:75 kgs Cockpit crew:85 kgs) and technician (85 kgs) weights and their index influence based on passenger seats shall be added to DOW/DOI values on AHM tables.

• Cabin crew and technician who occupy passenger seat are not shown in the crew section on Load Sheet.

<b>SUBJECT</b>	DRY OPERATING WEIGHT AND INDEX TABLE & EFFECTIVE LOADTRIMSHEET
<b>BULLETIN NUMBER-ISSUE DATE</b>	2015/ REV14 - 10.Apr.2015
<b>EFFECTIVE DATE</b>	10.Apr.2015
<b>EXPIRY DATE(*)</b>	UFN

**TC-JLY**

MANUAL LOADTRIMSHEETS WITH FOLLOWING REF.CODES ARE EFFECTIVE "14.DEC.2012 LOAD&TRIM SHEET 132 SEAT A319-132"  
Select the proper DOW/DOI from the below table prepared for several possible standard cockpit/cabin crew,pantry codes & potable water tanks fill ratio. All weights are in KG

% 100 POTABLE WATER				% 75 POTABLE WATER			
CREW	PANTRY CODES			CREW	PANTRY CODES		
	N	D	G		N	D	G
2/0	42117	41794	42014	2/0	42067	41744	41964
	50.5	50.3	51.2		49.9	49.7	50.6
2/3	42342	42019	42239	2/3	42292	41969	42189
	51.4	51.2	52.1		50.8	50.6	51.5
2/4	42417	42094	42314	2/4	42367	42044	42264
	50.6	50.4	51.3		50	49.8	50.7
2/5	42492	42169	42389	2/5	42442	42119	42339
	51.4	51.2	52.1		50.8	50.6	51.5
2/6	42567	42244	42464	2/6	42517	42194	42414
	52.3	52.1	53		51.7	51.5	52.4
3/0	42202	41879	42099	3/0	42152	41829	42049
	49.5	49.3	50.2		48.9	48.7	49.6
3/3	42427	42104	42324	3/3	42377	42054	42274
	50.4	50.2	51.1		49.8	49.6	50.5
3/4	42502	42179	42399	3/4	42452	42129	42349
	49.6	49.4	50.3		49	48.8	49.7
3/5	42577	42254	42474	3/5	42527	42204	42424
	50.4	50.2	51.1		49.8	49.6	50.5
3/6	42652	42329	42549	3/6	42602	42279	42499
	51.3	51.1	52		50.7	50.5	51.4

% 50 POTABLE WATER				% 25 POTABLE WATER			
CREW	N	D	G	CREW	N	D	G
2/0	42017	41694	41914	2/0	41967	41644	41864
	49.4	49.2	50.1		48.8	48.6	49.5
2/3	42242	41919	42139	2/3	42192	41869	42089
	50.3	50.1	51		49.7	49.5	50.4
2/4	42317	41994	42214	2/4	42267	41944	42164
	49.5	49.3	50.2		48.9	48.7	49.6
2/5	42392	42069	42289	2/5	42342	42019	42239
	50.3	50.1	51		49.7	49.5	50.4
2/6	42467	42144	42364	2/6	42417	42094	42314
	51.2	51	51.9		50.6	50.4	51.3
3/0	42102	41779	41999	3/0	42052	41729	41949
	48.4	48.2	49.1		47.8	47.6	48.5
3/3	42327	42004	42224	3/3	42277	41954	42174
	49.3	49.1	50		48.7	48.5	49.4
3/4	42402	42079	42299	3/4	42352	42029	42249
	48.5	48.3	49.2		47.9	47.7	48.6
3/5	42477	42154	42374	3/5	42427	42104	42324
	49.3	49.1	50		48.7	48.5	49.4
3/6	42552	42229	42449	3/6	42502	42179	42399
	50.2	50	50.9		49.6	49.4	50.3

REMARKS: N All International Flights D Domestic Flights 1way G Domestic Flights Return Pantry  
DOI calculation remark : During Index Calculations due to DCS system rounding (or truncating), approximately +/- 0.3 index difference is acceptable.

**Note:** In case of occupying passenger seats rather than crew seats by cockpit/cabin crew/ and/or technician who are on duty;

- Crew/Cabin crew:75 kgs Cockpit crew:85 kgs) and technician (85 kgs) weights and their index influence based on passenger seats shall be added to DOW/DOI values on AHM tables.

- Cabin crew and technician who occupy passenger seat are not shown in the crew section on Load Sheet.

<b>SUBJECT</b>	DRY OPERATING WEIGHT AND INDEX TABLE & EFFECTIVE LOADTRIMSHEET
<b>BULLETIN NUMBER-ISSUE DATE</b>	2015/ REV14 - 10.Apr.2015
<b>EFFECTIVE DATE</b>	10.Apr.2015
<b>EXPIRY DATE(*)</b>	UFN

**TC-JLZ**

MANUAL LOADTRIMSHEETS WITH FOLLOWING REF.CODES ARE EFFECTIVE "14.DEC.2012 LOAD&TRIM SHEET 132 SEAT A319-132"  
Select the proper DOW/DOI from the below table prepared for several possible standard cockpit/cabin crew,pantry codes & potable water tanks fill ratio. All weights are in KG

% 100 POTABLE WATER				% 75 POTABLE WATER			
CREW	PANTRY CODES			CREW	PANTRY CODES		
	N	D	G		N	D	G
2/0	42125	41802	42022	2/0	42075	41752	41972
	50.4	50.2	51.1		49.8	49.6	50.5
2/3	42350	42027	42247	2/3	42300	41977	42197
	51.3	51.1	52		50.7	50.5	51.4
2/4	42425	42102	42322	2/4	42375	42052	42272
	50.5	50.3	51.2		49.9	49.7	50.6
2/5	42500	42177	42397	2/5	42450	42127	42347
	51.3	51.1	52		50.7	50.5	51.4
2/6	42575	42252	42472	2/6	42525	42202	42422
	52.2	52	52.9		51.6	51.4	52.3
3/0	42210	41887	42107	3/0	42160	41837	42057
	49.4	49.2	50.1		48.8	48.6	49.5
3/3	42435	42112	42332	3/3	42385	42062	42282
	50.3	50.1	51		49.7	49.5	50.4
3/4	42510	42187	42407	3/4	42460	42137	42357
	49.5	49.3	50.2		48.9	48.7	49.6
3/5	42585	42262	42482	3/5	42535	42212	42432
	50.3	50.1	51		49.7	49.5	50.4
3/6	42660	42337	42557	3/6	42610	42287	42507
	51.2	51	51.9		50.6	50.4	51.3

% 50 POTABLE WATER				% 25 POTABLE WATER			
CREW	N	D	G	CREW	N	D	G
2/0	42025	41702	41922	2/0	41975	41652	41872
	49.3	49.1	50		48.7	48.5	49.4
2/3	42250	41927	42147	2/3	42200	41877	42097
	50.2	50	50.9		49.6	49.4	50.3
2/4	42325	42002	42222	2/4	42275	41952	42172
	49.4	49.2	50.1		48.8	48.6	49.5
2/5	42400	42077	42297	2/5	42350	42027	42247
	50.2	50	50.9		49.6	49.4	50.3
2/6	42475	42152	42372	2/6	42425	42102	42322
	51.1	50.9	51.8		50.5	50.3	51.2
3/0	42110	41787	42007	3/0	42060	41737	41957
	48.3	48.1	49		47.7	47.5	48.4
3/3	42335	42012	42232	3/3	42285	41962	42182
	49.2	49	49.9		48.6	48.4	49.3
3/4	42410	42087	42307	3/4	42360	42037	42257
	48.4	48.2	49.1		47.8	47.6	48.5
3/5	42485	42162	42382	3/5	42435	42112	42332
	49.2	49	49.9		48.6	48.4	49.3
3/6	42560	42237	42457	3/6	42510	42187	42407
	50.1	49.9	50.8		49.5	49.3	50.2

REMARKS: N All International Flights D Domestic Flights 1way G Domestic Flights Return Pantry  
DOI calculation remark : During Index Calculations due to DCS system rounding (or truncating), approximately +/- 0.3 index difference is acceptable.

- Note:** In case of occupying passenger seats rather than crew seats by cockpit/cabin crew/ and/or technician who are on duty;
- Crew/Cabin crew:75 kgs Cockpit crew:85 kgs) and technician (85 kgs) weights and their index influence based on passenger seats shall be added to DOW/DOI values on AHM tables.
  - Cabin crew and technician who occupy passenger seat are not shown in the crew section on Load Sheet.



<b>SUBJECT</b>	DRY OPERATING WEIGHT AND INDEX TABLE & EFFECTIVE LOADTRIMSHEET
<b>BULLETIN NUMBER-ISSUE DATE</b>	2016/ REV17 - 10.Mar.2016
<b>EFFECTIVE DATE</b>	10.Mar.2016
<b>EXPIRY DATE(*)</b>	UFN

**TC-JUA**

MANUAL LOADTRIMSHEETS WITH FOLLOWING REF.CODES ARE EFFECTIVE "24.MAY.2012 LOAD&TRIM SHEET 132 SEAT A319-132"  
Select the proper DOW/DOI from the below table prepared for several possible standard cockpit/cabin crew,pantry codes & potable water tanks fill ratio. All weights are in KG

% 100 POTABLE WATER				% 75 POTABLE WATER			
CREW	PANTRY CODES			CREW	PANTRY CODES		
	N	D	G		N	D	G
2/0	41607	41284	41504	2/0	41557	41234	41454
	50.6	50.4	51.3		50	49.8	50.7
2/3	41832	41509	41729	2/3	41782	41459	41679
	51.5	51.3	52.2		50.9	50.7	51.6
2/4	41907	41584	41804	2/4	41857	41534	41754
	50.7	50.5	51.4		50.1	49.9	50.8
3/0	41692	41369	41589	3/0	41642	41319	41539
	49.6	49.4	50.3		49	48.8	49.7
3/3	41917	41594	41814	3/3	41867	41544	41764
	50.5	50.3	51.2		49.9	49.7	50.6
3/4	41992	41669	41889	3/4	41942	41619	41839
	49.7	49.5	50.4		49.1	48.9	49.8
4/0	41777	41454	41674	4/0	41727	41404	41624
	48.6	48.4	49.3		48	47.8	48.7
4/3	42002	41679	41899	4/3	41952	41629	41849
	49.5	49.3	50.2		48.9	48.7	49.6
4/4	42077	41754	41974	4/4	42027	41704	41924
	48.7	48.5	49.4		48.1	47.9	48.8

% 50 POTABLE WATER				% 25 POTABLE WATER			
2/0	41507	41184	41404	2/0	41457	41134	41354
	49.5	49.3	50.2		48.9	48.7	49.6
2/3	41732	41409	41629	2/3	41682	41359	41579
	50.4	50.2	51.1		49.8	49.6	50.5
2/4	41807	41484	41704	2/4	41757	41434	41654
	49.6	49.4	50.3		49	48.8	49.7

3/0	41592	41269	41489	3/0	41542	41219	41439
	48.5	48.3	49.2		47.9	47.7	48.6
3/3	41817	41494	41714	3/3	41767	41444	41664
	49.4	49.2	50.1		48.8	48.6	49.5
3/4	41892	41569	41789	3/4	41842	41519	41739
	48.6	48.4	49.3		48	47.8	48.7

4/0	41677	41354	41574	4/0	41627	41304	41524
	47.5	47.3	48.2		46.9	46.7	47.6
4/3	41902	41579	41799	4/3	41852	41529	41749
	48.4	48.2	49.1		47.8	47.6	48.5
4/4	41977	41654	41874	4/4	41927	41604	41824
	47.6	47.4	48.3		47	46.8	47.7

REMARKS: N All International Flights D Domestic Flights 1way G Domestic Flights Return Pantry  
DOI calculation remark : During Index Calculations due to DCS system rounding (or truncating), approximately +/- 0.3 index difference is acceptable.

- Note:** In case of occupying passenger seats rather than crew seats by cockpit/cabin crew/ and/or technician who are on duty;
- Crew/Cabin crew:75 kgs Cockpit crew:85 kgs) and technician (85 kgs) weights and their index influence based on passenger seats shall be added to DOW/DOI values on AHM tables.
  - Cabin crew and technician who occupy passenger seat are not shown in the crew section on Load Sheet.

<b>SUBJECT</b>	DRY OPERATING WEIGHT AND INDEX TABLE & EFFECTIVE LOADTRIMSHEET
<b>BULLETIN NUMBER-ISSUE DATE</b>	2016/ REV15 - 02.May.2016
<b>EFFECTIVE DATE</b>	02.May.2016
<b>EXPIRY DATE(*)</b>	UFN

**TC-JUB**

MANUAL LOADTRIMSHEETS WITH FOLLOWING REF.CODES ARE EFFECTIVE "24.MAY.2012 LOAD&TRIM SHEET 132 SEAT A319-132"  
Select the proper DOW/DOI from the below table prepared for several possible standard cockpit/cabin crew,pantry codes & potable water tanks fill ratio. All weights are in KG

% 100 POTABLE WATER				% 75 POTABLE WATER			
CREW	PANTRY CODES			CREW	PANTRY CODES		
	N	D	G		N	D	G
2/0	41612	41289	41509	2/0	41562	41239	41459
	50,9	50,7	51,6		50,3	50,1	51
2/3	41837	41514	41734	2/3	41787	41464	41684
	51,8	51,6	52,5		51,2	51	51,9
2/4	41912	41589	41809	2/4	41862	41539	41759
	51	50,8	51,7		50,4	50,2	51,1
3/0	41697	41374	41594	3/0	41647	41324	41544
	49,9	49,7	50,6		49,3	49,1	50
3/3	41922	41599	41819	3/3	41872	41549	41769
	50,8	50,6	51,5		50,2	50	50,9
3/4	41997	41674	41894	3/4	41947	41624	41844
	50	49,8	50,7		49,4	49,2	50,1
4/0	41782	41459	41679	4/0	41732	41409	41629
	48,9	48,7	49,6		48,3	48,1	49
4/3	42007	41684	41904	4/3	41957	41634	41854
	49,8	49,6	50,5		49,2	49	49,9
4/4	42082	41759	41979	4/4	42032	41709	41929
	49	48,8	49,7		48,4	48,2	49,1

% 50 POTABLE WATER				% 25 POTABLE WATER			
CREW	PANTRY CODES			CREW	PANTRY CODES		
	N	D	G		N	D	G
2/0	41512	41189	41409	2/0	41462	41139	41359
	49,8	49,6	50,5		49,2	49	49,9
2/3	41737	41414	41634	2/3	41687	41364	41584
	50,7	50,5	51,4		50,1	49,9	50,8
2/4	41812	41489	41709	2/4	41762	41439	41659
	49,9	49,7	50,6		49,3	49,1	50
3/0	41597	41274	41494	3/0	41547	41224	41444
	48,8	48,6	49,5		48,2	48	48,9
3/3	41822	41499	41719	3/3	41772	41449	41669
	49,7	49,5	50,4		49,1	48,9	49,8
3/4	41897	41574	41794	3/4	41847	41524	41744
	48,9	48,7	49,6		48,3	48,1	49
4/0	41682	41359	41579	4/0	41632	41309	41529
	47,8	47,6	48,5		47,2	47	47,9
4/3	41907	41584	41804	4/3	41857	41534	41754
	48,7	48,5	49,4		48,1	47,9	48,8
4/4	41982	41659	41879	4/4	41932	41609	41829
	47,9	47,7	48,6		47,3	47,1	48

REMARKS: N All International Flights D Domestic Flights 1way G Domestic Flights Return Pantry  
DOI calculation remark : During Index Calculations due to DCS system rounding (or truncating), approximately +/- 0.3 index difference is acceptable.

**Note:** In case of occupying passenger seats rather than crew seats by cockpit/cabin crew/ and/or technician who are on duty;

- Crew/Cabin crew:75 kgs Cockpit crew:85 kgs) and technician (85 kgs) weights and their index influence based on passenger seats shall be added to DOW/DOI values on AHM tables.
- Cabin crew and technician who occupy passenger seat are not shown in the crew section on Load Sheet.

<b>SUBJECT</b>	DRY OPERATING WEIGHT AND INDEX TABLE & EFFECTIVE LOADTRIMSHEET
<b>BULLETIN NUMBER-ISSUE DATE</b>	2016/ REV18 - 19.Apr.2016
<b>EFFECTIVE DATE</b>	19.Apr.2016
<b>EXPIRY DATE(*)</b>	UFN

**TC-JUD**

MANUAL LOADTRIMSHEETS WITH FOLLOWING REF.CODES ARE EFFECTIVE "24.MAY.2012 LOAD&TRIM SHEET 132 SEAT A319-132"  
Select the proper DOW/DOI from the below table prepared for several possible standard cockpit/cabin crew,pantry codes & potable water tanks fill ratio. All weights are in KG

% 100 POTABLE WATER				% 75 POTABLE WATER			
CREW	PANTRY CODES			CREW	PANTRY CODES		
	N	D	G		N	D	G
2/0	41522	41199	41419	2/0	41472	41149	41369
	52,6	52,4	53,3		52	51,8	52,7
2/3	41747	41424	41644	2/3	41697	41374	41594
	53,5	53,3	54,2		52,9	52,7	53,6
2/4	41822	41499	41719	2/4	41772	41449	41669
	52,7	52,5	53,4		52,1	51,9	52,8
3/0	41607	41284	41504	3/0	41557	41234	41454
	51,6	51,4	52,3		51	50,8	51,7
3/3	41832	41509	41729	3/3	41782	41459	41679
	52,5	52,3	53,2		51,9	51,7	52,6
3/4	41907	41584	41804	3/4	41857	41534	41754
	51,7	51,5	52,4		51,1	50,9	51,8
4/0	41692	41369	41589	4/0	41642	41319	41539
	50,6	50,4	51,3		50	49,8	50,7
4/3	41917	41594	41814	4/3	41867	41544	41764
	51,5	51,3	52,2		50,9	50,7	51,6
4/4	41992	41669	41889	4/4	41942	41619	41839
	50,7	50,5	51,4		50,1	49,9	50,8

% 50 POTABLE WATER				% 25 POTABLE WATER			
CREW	PANTRY CODES			CREW	PANTRY CODES		
	N	D	G		N	D	G
2/0	41422	41099	41319	2/0	41372	41049	41269
	51,5	51,3	52,2		50,9	50,7	51,6
2/3	41647	41324	41544	2/3	41597	41274	41494
	52,4	52,2	53,1		51,8	51,6	52,5
2/4	41722	41399	41619	2/4	41672	41349	41569
	51,6	51,4	52,3		51	50,8	51,7
3/0	41507	41184	41404	3/0	41457	41134	41354
	50,5	50,3	51,2		49,9	49,7	50,6
3/3	41732	41409	41629	3/3	41682	41359	41579
	51,4	51,2	52,1		50,8	50,6	51,5
3/4	41807	41484	41704	3/4	41757	41434	41654
	50,6	50,4	51,3		50	49,8	50,7
4/0	41592	41269	41489	4/0	41542	41219	41439
	49,5	49,3	50,2		48,9	48,7	49,6
4/3	41817	41494	41714	4/3	41767	41444	41664
	50,4	50,2	51,1		49,8	49,6	50,5
4/4	41892	41569	41789	4/4	41842	41519	41739
	49,6	49,4	50,3		49	48,8	49,7

REMARKS: N All International Flights D Domestic Flights 1way G Domestic Flights Return Pantry  
DOI calculation remark : During Index Calculations due to DCS system rounding (or truncating), approximately +/- 0.3 index difference is acceptable.

**Note:** In case of occupying passenger seats rather than crew seats by cockpit/cabin crew/ and/or technician who are on duty;

- Crew/Cabin crew:75 kgs Cockpit crew:85 kgs) and technician (85 kgs) weights and their index influence based on passenger seats shall be added to DOW/DOI values on AHM tables.
- Cabin crew and technician who occupy passenger seat are not shown in the crew section on Load Sheet