

SUBJECT	DRY OPERATING WEIGHT AND INDEX TABLE & EFFECTIVE LOADTRIMSHEET
BULLETIN NUMBER-ISSUE DATE	2016/ Rev.06 - 9.Nov 2016
EFFECTIVE DATE	9.Nov.2016
EXPIRY DATE(*)	UFN

TC-JDO

MANUAL LOADTRIMSHEETS WITH FOLLOWING REF.CODES ARE EFFECTIVE "31.MAY.2013 LOAD&TRIM SHEET A330-243E"

Select the proper DOW/DOI from the below table prepared for several possible standard cockpit/cabin crew,pantry codes & potable water tanks fill ratio. All weights are in KG

% 100 POTABLE WATER			% 75 POTABLE WATER			% 50 POTABLE WATER			% 25 POTABLE WATER		
PANTRY CODES			PANTRY CODES			PANTRY CODES			PANTRY CODES		
CR E W	A	N	CR E W	A	N	CR E W	A	N	CR E W	A	N
2/ 0	110149 69.6	110124 69.8	2/ 0	110124 69.7	110099 69.9	2/ 0	110099 69.8	110074 70	2/ 0	110074 69.9	110049 70.1
2/ 1	110234 68.8	110209 69	2/ 1	110209 68.9	110184 69.1	2/ 1	110184 69	110159 69.2	2/ 1	110159 69.1	110134 69.3
2/ 2	110319 68	110294 68.2	2/ 2	110294 68.1	110269 68.3	2/ 2	110269 68.2	110244 68.4	2/ 2	110244 68.3	110219 68.5
2/ 3	110404 67.3	110379 67.5	2/ 3	110379 67.4	110354 67.6	2/ 3	110354 67.5	110329 67.7	2/ 3	110329 67.6	110304 67.8
2/ 4	110489 66.5	110464 66.7	2/ 4	110464 66.6	110439 66.8	2/ 4	110439 66.7	110414 66.9	2/ 4	110414 66.8	110389 67
3/ 0	110234 68.7	110209 68.9	3/ 0	110209 68.8	110184 69	3/ 0	110184 68.9	110159 69.1	3/ 0	110159 69	110134 69.2
3/ 1	110319 67.9	110294 68.1	3/ 1	110294 68	110269 68.2	3/ 1	110269 68.1	110244 68.3	3/ 1	110244 68.2	110219 68.4
3/ 2	110404 67.1	110379 67.3	3/ 2	110379 67.2	110354 67.4	3/ 2	110354 67.3	110329 67.5	3/ 2	110329 67.4	110304 67.6
3/ 3	110489 66.4	110464 66.6	3/ 3	110464 66.5	110439 66.7	3/ 3	110439 66.6	110414 66.8	3/ 3	110414 66.7	110389 66.9
3/ 4	110574 65.6	110549 65.8	3/ 4	110549 65.7	110524 65.9	3/ 4	110524 65.8	110499 66	3/ 4	110499 65.9	110474 66.1
4/ 0	110319 67.8	110294 68	4/ 0	110294 67.9	110269 68.1	4/ 0	110269 68	110244 68.2	4/ 0	110244 68.1	110219 68.3
4/ 1	110404 67	110379 67.2	4/ 1	110379 67.1	110354 67.3	4/ 1	110354 67.2	110329 67.4	4/ 1	110329 67.3	110304 67.5
4/ 2	110489 66.2	110464 66.4	4/ 2	110464 66.3	110439 66.5	4/ 2	110439 66.4	110414 66.6	4/ 2	110414 66.5	110389 66.7
4/ 3	110574 65.5	110549 65.7	4/ 3	110549 65.6	110524 65.8	4/ 3	110524 65.7	110499 65.9	4/ 3	110499 65.8	110474 66
4/ 4	110659 64.7	110634 64.9	4/ 4	110634 64.8	110609 65	4/ 4	110609 64.9	110584 65.1	4/ 4	110584 65	110559 65.2

REMARKS: A ER FLIGHTS N All International flight

DOI calculation remark : During Index Calculations due to DCS system rounding (or truncating), approximately +/- 0.3 index difference is acceptable.

Note: In case of occupying passenger seats rather than crew seats by cockpit/cabin crew/ and/or technician who are on duty;

- Crew/Cabin crew:75 kgs Cockpit crew:85 kgs) and technician (85 kgs) weights and their index influence based on passenger seats shall be added to DOW/DOI values on AHM tables.
- Cabin crew and technician who occupy passenger seat are not shown in the crew section on Loadsheets

SUBJECT	DRY OPERATING WEIGHT AND INDEX TABLE & EFFECTIVE LOADTRIMSHEET
BULLETIN NUMBER-ISSUE DATE	2016/ Rev03 - 14.MAY 2016
EFFECTIVE DATE	14.MAY.2016
EXPIRY DATE(*)	UFN

TC-JDP

MANUAL LOADTRIMSHEETS WITH FOLLOWING REF.CODES ARE EFFECTIVE "31.MAY.2013 LOAD&TRIM SHEET A330-243F"

Select the proper DOW/DOI from the below table prepared for several possible standard cockpit/cabin crew,pantry codes & potable water tanks fill ratio. All weights are in KG

% 100 POTABLE WATER			% 75 POTABLE WATER			% 50 POTABLE WATER			% 25 POTABLE WATER		
PANTRY CODES			PANTRY CODES			PANTRY CODES			PANTRY CODES		
CR E W	A	N	CR E W	A	N	CR E W	A	N	CR E W	A	N
2/ 0	109465 70	109440 70.2	2/ 0	109440 70.1	109415 70.3	2/ 0	109415 70.2	109390 70.4	2/ 0	109390 70.3	109365 70.5
2/ 1	109550 69.2	109525 69.4	2/ 1	109525 69.3	109500 69.5	2/ 1	109500 69.4	109475 69.6	2/ 1	109475 69.5	109450 69.7
2/ 2	109635 68.4	109610 68.6	2/ 2	109610 68.5	109585 68.7	2/ 2	109585 68.6	109560 68.8	2/ 2	109560 68.7	109535 68.9
2/ 3	109720 67.7	109695 67.9	2/ 3	109695 67.8	109670 68	2/ 3	109670 67.9	109645 68.1	2/ 3	109645 68	109620 68.2
2/ 4	109805 66.9	109780 67.1	2/ 4	109780 67	109755 67.2	2/ 4	109755 67.1	109730 67.3	2/ 4	109730 67.2	109705 67.4
3/ 0	109550 69.1	109525 69.3	3/ 0	109525 69.2	109500 69.4	3/ 0	109500 69.3	109475 69.5	3/ 0	109475 69.4	109450 69.6
3/ 1	109635 68.3	109610 68.5	3/ 1	109610 68.4	109585 68.6	3/ 1	109585 68.5	109560 68.7	3/ 1	109560 68.6	109535 68.8
3/ 2	109720 67.5	109695 67.7	3/ 2	109695 67.6	109670 67.8	3/ 2	109670 67.7	109645 67.9	3/ 2	109645 67.8	109620 68
3/ 3	109805 66.8	109780 67	3/ 3	109780 66.9	109755 67.1	3/ 3	109755 67	109730 67.2	3/ 3	109730 67.1	109705 67.3
3/ 4	109890 66	109865 66.2	3/ 4	109865 66.1	109840 66.3	3/ 4	109840 66.2	109815 66.4	3/ 4	109815 66.3	109790 66.5
4/ 0	109635 68.2	109610 68.4	4/ 0	109610 68.3	109585 68.5	4/ 0	109585 68.4	109560 68.6	4/ 0	109560 68.5	109535 68.7
4/ 1	109720 67.4	109695 67.6	4/ 1	109695 67.5	109670 67.7	4/ 1	109670 67.6	109645 67.8	4/ 1	109645 67.7	109620 67.9
4/ 2	109805 66.6	109780 66.8	4/ 2	109780 66.7	109755 66.9	4/ 2	109755 66.8	109730 67	4/ 2	109730 66.9	109705 67.1
4/ 3	109890 65.9	109865 66.1	4/ 3	109865 66	109840 66.2	4/ 3	109840 66.1	109815 66.3	4/ 3	109815 66.2	109790 66.4
4/ 4	109975 65.1	109950 65.3	4/ 4	109950 65.2	109925 65.4	4/ 4	109925 65.3	109900 65.5	4/ 4	109900 65.4	109875 65.6

REMARKS: A ER FLIGHTS N All International flight
DOI calculation remark : During Index Calculations due to DCS system rounding (or truncating), approximately +/- 0.3 index difference is acceptable.
Note: In case of occupying passenger seats rather than crew seats by cockpit/cabin crew/ and/or technician who are on duty;
• Crew(Cabin crew:75 kgs Cockpit crew:85 kgs) and technician (85 kgs) weights and their index influence based on passenger seats shall be added to DOW/DOI values on AHM tables.
• Cabin crew and technician who occupy passenger seat are not shown in the crew section on Loadsheets

SUBJECT	DRY OPERATING WEIGHT AND INDEX TABLE & EFFECTIVE LOADTRIMSHEET
BULLETIN NUMBER-ISSUE DATE	2016/ Rev.05 - 25.Oct 2016
EFFECTIVE DATE	27 OCT2016
EXPIRY DATE(*)	UFN

TC-JDR

MANUAL LOADTRIMSHEETS WITH FOLLOWING REF.CODES ARE EFFECTIVE "31.MAY.2013 LOAD&TRIM SHEET A330-243F"

Select the proper DOW/DOI from the below table prepared for several possible standard cockpit/cabin crew,pantry codes & potable water tanks fill ratio. All weights are in KG

% 100 POTABLE WATER			% 75 POTABLE WATER			% 50 POTABLE WATER			% 25 POTABLE WATER		
PANTRY CODES			PANTRY CODES			PANTRY CODES			PANTRY CODES		
CR E W	A	N	CR E W	A	N	CR E W	A	N	CR E W	A	N
2/ 0	109849 69.2	109824 69.4	2/ 0	109824 69.3	109799 69.5	2/ 0	109799 69.4	109774 69.6	2/ 0	109774 69.5	109749 69.7
2/ 1	109934 68.4	109909 68.6	2/ 1	109909 68.5	109884 68.7	2/ 1	109884 68.6	109859 68.8	2/ 1	109859 68.7	109834 68.9
2/ 2	110019 67.6	109994 67.8	2/ 2	109994 67.7	109969 67.9	2/ 2	109969 67.8	109944 68	2/ 2	109944 67.9	109919 68.1
2/ 3	110104 66.9	110079 67.1	2/ 3	110079 67	110054 67.2	2/ 3	110054 67.1	110029 67.3	2/ 3	110029 67.2	110004 67.4
2/ 4	110189 66.1	110164 66.3	2/ 4	110164 66.2	110139 66.4	2/ 4	110139 66.3	110114 66.5	2/ 4	110114 66.4	110089 66.6
3/ 0	109934 68.3	109909 68.5	3/ 0	109909 68.4	109884 68.6	3/ 0	109884 68.5	109859 68.7	3/ 0	109859 68.6	109834 68.8
3/ 1	110019 67.5	109994 67.7	3/ 1	109994 67.6	109969 67.8	3/ 1	109969 67.7	109944 67.9	3/ 1	109944 67.8	109919 68
3/ 2	110104 66.7	110079 66.9	3/ 2	110079 66.8	110054 67	3/ 2	110054 66.9	110029 67.1	3/ 2	110029 67	110004 67.2
3/ 3	110189 66	110164 66.2	3/ 3	110164 66.1	110139 66.3	3/ 3	110139 66.2	110114 66.4	3/ 3	110114 66.3	110089 66.5
3/ 4	110274 65.2	110249 65.4	3/ 4	110249 65.3	110224 65.5	3/ 4	110224 65.4	110199 65.6	3/ 4	110199 65.5	110174 65.7
4/ 0	110019 67.4	109994 67.6	4/ 0	109994 67.5	109969 67.7	4/ 0	109969 67.6	109944 67.8	4/ 0	109944 67.7	109919 67.9
4/ 1	110104 66.6	110079 66.8	4/ 1	110079 66.7	110054 66.9	4/ 1	110054 66.8	110029 67	4/ 1	110029 66.9	110004 67.1
4/ 2	110189 65.8	110164 66	4/ 2	110164 65.9	110139 66.1	4/ 2	110139 66	110114 66.2	4/ 2	110114 66.1	110089 66.3
4/ 3	110274 65.1	110249 65.3	4/ 3	110249 65.2	110224 65.4	4/ 3	110224 65.3	110199 65.5	4/ 3	110199 65.4	110174 65.6
4/ 4	110359 64.3	110334 64.5	4/ 4	110334 64.4	110309 64.6	4/ 4	110309 64.5	110284 64.7	4/ 4	110284 64.6	110259 64.8

REMARKS: A ER FLIGHTS N All International flight

DOI calculation remark : During Index Calculations due to DCS system rounding (or truncating), approximately +/- 0.3 index difference is acceptable.

Note: In case of occupying passenger seats rather than crew seats by cockpit/cabin crew/ and/or technician who are on duty;

- Crew(Cabin crew:75 kgs Cockpit crew:85 kgs) and technician (85 kgs) weights and their index influence based on passenger seats shall be added to DOW/DOI values on AHM tables.
- Cabin crew and technician who occupy passenger seat are not shown in the crew section on Loadsheet

SUBJECT	DRY OPERATING WEIGHT AND INDEX TABLE & EFFECTIVE LOADTRIMSHEET
BULLETIN NUMBER-ISSUE DATE	2017/ REV08 - 31.MAR.2017
EFFECTIVE DATE	31.MAR.2017
EXPIRY DATE(*)	UFN

TC-JDS

MANUAL LOADTRIMSHEETS WITH FOLLOWING REF.CODES ARE EFFECTIVE "31.MAY.2013 LOAD&TRIM SHEET A330-243F"

Select the proper DOW/DOI from the below table prepared for several possible standard cockpit/cabin crew,pantry codes & potable water tanks fill ratio. All weights are in KG

CREW	% 100 POTABLE WATER		% 75 POTABLE WATER		CREW	% 50 POTABLE WATER		% 25 POTABLE WATER	
	PANTRY CODES		PANTRY CODES			PANTRY CODES		PANTRY CODES	
	A	N	A	N		A	N	A	N
2/0	109309	109284	109284	109259	2/0	109259	109234	109234	109209
	71.4	71.6	71.5	71.7		71.6	71.8	71.7	71.9
2/1	109394	109369	109369	109344	2/1	109344	109319	109319	109294
	70.6	70.8	70.7	70.9		70.8	71	70.9	71.1
2/2	109479	109454	109454	109429	2/2	109429	109404	109404	109379
	69.8	70	69.9	70.1		70	70.2	70.1	70.3
2/3	109564	109539	109539	109514	2/3	109514	109489	109489	109464
	69.1	69.3	69.2	69.4		69.3	69.5	69.4	69.6
2/4	109649	109624	109624	109599	2/4	109599	109574	109574	109549
	68.3	68.5	68.4	68.6		68.5	68.7	68.6	68.8
3/0	109394	109369	109369	109344	3/0	109344	109319	109319	109294
	70.5	70.7	70.6	70.8		70.7	70.9	70.8	71
3/1	109479	109454	109454	109429	3/1	109429	109404	109404	109379
	69.7	69.9	69.8	70		69.9	70.1	70	70.2
3/2	109564	109539	109539	109514	3/2	109514	109489	109489	109464
	68.9	69.1	69	69.2		69.1	69.3	69.2	69.4
3/3	109649	109624	109624	109599	3/3	109599	109574	109574	109549
	68.2	68.4	68.3	68.5		68.4	68.6	68.5	68.7
3/4	109734	109709	109709	109684	3/4	109684	109659	109659	109634
	67.4	67.6	67.5	67.7		67.6	67.8	67.7	67.9
4/0	109479	109454	109454	109429	4/0	109429	109404	109404	109379
	69.6	69.8	69.7	69.9		69.8	70	69.9	70.1
4/1	109564	109539	109539	109514	4/1	109514	109489	109489	109464
	68.8	69	68.9	69.1		69	69.2	69.1	69.3
4/2	109649	109624	109624	109599	4/2	109599	109574	109574	109549
	68	68.2	68.1	68.3		68.2	68.4	68.3	68.5
4/3	109734	109709	109709	109684	4/3	109684	109659	109659	109634
	67.3	67.5	67.4	67.6		67.5	67.7	67.6	67.8
4/4	109819	109794	109794	109769	4/4	109769	109744	109744	109719
	66.5	66.7	66.6	66.8		66.7	66.9	66.8	67

REMARKS: A ER FLIGHTS N All International flight
 DOI calculation remark : During Index Calculations due to DCS system rounding (or truncating), approximately +/- 0.3 index difference is acceptable.
Note: In case of occupying passenger seats rather than crew seats by cockpit/cabin crew/ and/or technician who are on duty;
 • Crew(Cabin crew:75 kgs Cockpit crew:85 kgs) and technician (85 kgs) weights and their index influence based on passenger seats shall be added to DOW/DOI values on AHM tables.
 • Cabin crew and technician who occupy passenger seat are not shown in the crew section on Loadsheets

SUBJECT	DRY OPERATING WEIGHT AND INDEX TABLE & EFFECTIVE LOADTRIMSHEET
BULLETIN NUMBER-ISSUE DATE	2017/ REV08 - 31.MAR.2017
EFFECTIVE DATE	31.MAR.2017
EXPIRY DATE(*)	UFN

TC-JCI

MANUAL LOADTRIMSHEETS WITH FOLLOWING REF.CODES ARE EFFECTIVE "31.MAY.2013 LOAD&TRIM SHEET A330-243E"

Select the proper DOW/DOI from the below table prepared for several possible standard cockpit/cabin crew,pantry codes & potable water tanks fill ratio. All weights are in KG

CREW	% 100 POTABLE WATER		% 75 POTABLE WATER		CREW	% 50 POTABLE WATER		% 25 POTABLE WATER	
	PANTRY CODES		PANTRY CODES			PANTRY CODES		PANTRY CODES	
	A	N	A	N		A	N	A	N
2/0	109713	109688	109688	109663	2/0	109663	109638	109638	109613
	70.5	70.7	70.6	70.8		70.7	70.9	70.8	71
2/1	109798	109773	109773	109748	2/1	109748	109723	109723	109698
	69.7	69.9	69.8	70		69.9	70.1	70	70.2
2/2	109883	109858	109858	109833	2/2	109833	109808	109808	109783
	68.9	69.1	69	69.2		69.1	69.3	69.2	69.4
2/3	109968	109943	109943	109918	2/3	109918	109893	109893	109868
	68.2	68.4	68.3	68.5		68.4	68.6	68.5	68.7
2/4	110053	110028	110028	110003	2/4	110003	109978	109978	109953
	67.4	67.6	67.5	67.7		67.6	67.8	67.7	67.9
3/0	109798	109773	109773	109748	3/0	109748	109723	109723	109698
	69.6	69.8	69.7	69.9		69.8	70	69.9	70.1
3/1	109883	109858	109858	109833	3/1	109833	109808	109808	109783
	68.8	69	68.9	69.1		69	69.2	69.1	69.3
3/2	109968	109943	109943	109918	3/2	109918	109893	109893	109868
	68	68.2	68.1	68.3		68.2	68.4	68.3	68.5
3/3	110053	110028	110028	110003	3/3	110003	109978	109978	109953
	67.3	67.5	67.4	67.6		67.5	67.7	67.6	67.8
3/4	110138	110113	110113	110088	3/4	110088	110063	110063	110038
	66.5	66.7	66.6	66.8		66.7	66.9	66.8	67
4/0	109883	109858	109858	109833	4/0	109833	109808	109808	109783
	68.7	68.9	68.8	69		68.9	69.1	69	69.2
4/1	109968	109943	109943	109918	4/1	109918	109893	109893	109868
	67.9	68.1	68	68.2		68.1	68.3	68.2	68.4
4/2	110053	110028	110028	110003	4/2	110003	109978	109978	109953
	67.1	67.3	67.2	67.4		67.3	67.5	67.4	67.6
4/3	110138	110113	110113	110088	4/3	110088	110063	110063	110038
	66.4	66.6	66.5	66.7		66.6	66.8	66.7	66.9
4/4	110223	110198	110198	110173	4/4	110173	110148	110148	110123
	65.6	65.8	65.7	65.9		65.8	66	65.9	66.1

REMARKS: A ER FLIGHTS N All International flight

DOI calculation remark : During Index Calculations due to DCS system rounding (or truncating), approximately +/- 0.3 index difference is acceptable.

Note: In case of occupying passenger seats rather than crew seats by cockpit/cabin crew/ and/or technician who are on duty;

- Crew/Cabin crew:75 kgs Cockpit crew:85 kgs) and technician (85 kgs) weights and their index influence based on passenger seats shall be added to DOW/DOI values on AHM tables.
- Cabin crew and technician who occupy passenger seat are not shown in the crew section on Loadsheet

SUBJECT	DRY OPERATING WEIGHT AND INDEX TABLE & EFFECTIVE LOADTRIMSHEET
BULLETIN NUMBER-ISSUE DATE	2016/ Rev.05 - 25.Oct 2016
EFFECTIVE DATE	27 OCT2016
EXPIRY DATE(*)	UFN

TC-JOU

MANUAL LOADTRIMSHEETS WITH FOLLOWING REF.CODES ARE EFFECTIVE "17.APR.2015 LOAD&TRIM SHEET A330-243F"

Select the proper DOW/DOI from the below table prepared for several possible standard cockpit/cabin crew,pantry codes & potable water tanks fill ratio. All weights are in KG

% 100 POTABLE WATER			% 75 POTABLE WATER			% 50 POTABLE WATER			% 25 POTABLE WATER		
PANTRY CODES			PANTRY CODES			PANTRY CODES			PANTRY CODES		
CR E W	A	N	CR E W	A	N	CR E W	A	N	CR E W	A	N
2/ 0	109878 71.2	109853 71.4	2/ 0	109853 71.3	109828 71.5	2/ 0	109828 71.4	109803 71.6	2/ 0	109803 71.5	109778 71.7
2/ 1	109963 70.4	109938 70.6	2/ 1	109938 70.5	109913 70.7	2/ 1	109913 70.6	109888 70.8	2/ 1	109888 70.7	109863 70.9
2/ 2	110048 69.6	110023 69.8	2/ 2	110023 69.7	109998 69.9	2/ 2	109998 69.8	109973 70	2/ 2	109973 69.9	109948 70.1
2/ 3	110133 68.9	110108 69.1	2/ 3	110108 69	110083 69.2	2/ 3	110083 69.1	110058 69.3	2/ 3	110058 69.2	110033 69.4
2/ 4	110218 68.1	110193 68.3	2/ 4	110193 68.2	110168 68.4	2/ 4	110168 68.3	110143 68.5	2/ 4	110143 68.4	110118 68.6
3/ 0	109963 70.3	109938 70.5	3/ 0	109938 70.4	109913 70.6	3/ 0	109913 70.5	109888 70.7	3/ 0	109888 70.6	109863 70.8
3/ 1	110048 69.5	110023 69.7	3/ 1	110023 69.6	109998 69.8	3/ 1	109998 69.7	109973 69.9	3/ 1	109973 69.8	109948 70
3/ 2	110133 68.7	110108 68.9	3/ 2	110108 68.8	110083 69	3/ 2	110083 68.9	110058 69.1	3/ 2	110058 69	110033 69.2
3/ 3	110218 68	110193 68.2	3/ 3	110193 68.1	110168 68.3	3/ 3	110168 68.2	110143 68.4	3/ 3	110143 68.3	110118 68.5
3/ 4	110303 67.2	110278 67.4	3/ 4	110278 67.3	110253 67.5	3/ 4	110253 67.4	110228 67.6	3/ 4	110228 67.5	110203 67.7
4/ 0	110048 69.4	110023 69.6	4/ 0	110023 69.5	109998 69.7	4/ 0	109998 69.6	109973 69.8	4/ 0	109973 69.7	109948 69.9
4/ 1	110133 68.6	110108 68.8	4/ 1	110108 68.7	110083 68.9	4/ 1	110083 68.8	110058 69	4/ 1	110058 68.9	110033 69.1
4/ 2	110218 67.8	110193 68	4/ 2	110193 67.9	110168 68.1	4/ 2	110168 68	110143 68.2	4/ 2	110143 68.1	110118 68.3
4/ 3	110303 67.1	110278 67.3	4/ 3	110278 67.2	110253 67.4	4/ 3	110253 67.3	110228 67.5	4/ 3	110228 67.4	110203 67.6
4/ 4	110388 66.3	110363 66.5	4/ 4	110363 66.4	110338 66.6	4/ 4	110338 66.5	110313 66.7	4/ 4	110313 66.6	110288 66.8

REMARKS: A ER FLIGHTS N All International flight

DOI calculation remark : During Index Calculations due to DCS system rounding (or truncating), approximately +/- 0.3 index difference is acceptable.

Note: In case of occupying passenger seats rather than crew seats by cockpit/cabin crew/ and/or technician who are on duty;

- Crew(Cabin crew:75 kgs Cockpit crew:85 kgs) and technician (85 kgs) weights and their index influence based on passenger seats shall be added to DOW/DOI values on AHM tables.
- Cabin crew and technician who occupy passenger seat are not shown in the crew section on Loadsheets

SUBJECT	DRY OPERATING WEIGHT AND INDEX TABLE & EFFECTIVE LOADTRIMSHEET
BULLETIN NUMBER-ISSUE DATE	2016/ Rev.04 - 5.MAY 2016
EFFECTIVE DATE	05.MAY.2015
EXPIRY DATE(*)	UFN

TC-JOV

MANUAL LOADTRIMSHEETS WITH FOLLOWING REF.CODES ARE EFFECTIVE "31.MAY.2013 LOAD&TRIM SHEET A330-243F"

Select the proper DOW/DOI from the below table prepared for several possible standard cockpit/cabin crew,pantry codes & potable water tanks fill ratio. All weights are in KG

% 100 POTABLE WATER			% 75 POTABLE WATER			% 50 POTABLE WATER			% 25 POTABLE WATER		
PANTRY CODES			PANTRY CODES			PANTRY CODES			PANTRY CODES		
CR E W	A	N	CR E W	A	N	CR E W	A	N	CR E W	A	N
2/ 0	109724 70	109699 70.2	2/ 0	109699 70.1	109674 70.3	2/ 0	109674 70.2	109649 70.4	2/ 0	109649 70.3	109624 70.5
2/ 1	109809 69.2	109784 69.4	2/ 1	109784 69.3	109759 69.5	2/ 1	109759 69.4	109734 69.6	2/ 1	109734 69.5	109709 69.7
2/ 2	109894 68.4	109869 68.6	2/ 2	109869 68.5	109844 68.7	2/ 2	109844 68.6	109819 68.8	2/ 2	109819 68.7	109794 68.9
2/ 3	109979 67.7	109954 67.9	2/ 3	109954 67.8	109929 68	2/ 3	109929 67.9	109904 68.1	2/ 3	109904 68	109879 68.2
2/ 4	110064 66.9	110039 67.1	2/ 4	110039 67	110014 67.2	2/ 4	110014 67.1	109989 67.3	2/ 4	109989 67.2	109964 67.4
3/ 0	109809 69.1	109784 69.3	3/ 0	109784 69.2	109759 69.4	3/ 0	109759 69.3	109734 69.5	3/ 0	109734 69.4	109709 69.6
3/ 1	109894 68.3	109869 68.5	3/ 1	109869 68.4	109844 68.6	3/ 1	109844 68.5	109819 68.7	3/ 1	109819 68.6	109794 68.8
3/ 2	109979 67.5	109954 67.7	3/ 2	109954 67.6	109929 67.8	3/ 2	109929 67.7	109904 67.9	3/ 2	109904 67.8	109879 68
3/ 3	110064 66.8	110039 67	3/ 3	110039 66.9	110014 67.1	3/ 3	110014 67	109989 67.2	3/ 3	109989 67.1	109964 67.3
3/ 4	110149 66	110124 66.2	3/ 4	110124 66.1	110099 66.3	3/ 4	110099 66.2	110074 66.4	3/ 4	110074 66.3	110049 66.5
4/ 0	109894 68.2	109869 68.4	4/ 0	109869 68.3	109844 68.5	4/ 0	109844 68.4	109819 68.6	4/ 0	109819 68.5	109794 68.7
4/ 1	109979 67.4	109954 67.6	4/ 1	109954 67.5	109929 67.7	4/ 1	109929 67.6	109904 67.8	4/ 1	109904 67.7	109879 67.9
4/ 2	110064 66.6	110039 66.8	4/ 2	110039 66.7	110014 66.9	4/ 2	110014 66.8	109989 67	4/ 2	109989 66.9	109964 67.1
4/ 3	110149 65.9	110124 66.1	4/ 3	110124 66	110099 66.2	4/ 3	110099 66.1	110074 66.3	4/ 3	110074 66.2	110049 66.4
4/ 4	110234 65.1	110209 65.3	4/ 4	110209 65.2	110184 65.4	4/ 4	110184 65.3	110159 65.5	4/ 4	110159 65.4	110134 65.6

REMARKS: A ER FLIGHTS N All International flight

DOI calculation remark : During Index Calculations due to DCS system rounding (or truncating), approximately +/- 0.3 index difference is acceptable.

Note: In case of occupying passenger seats rather than crew seats by cockpit/cabin crew/ and/or technician who are on duty;

• Crew/Cabin crew:75 kgs Cockpit crew:85 kgs) and technician (85 kgs) weights and their index influence based on passenger seats shall be added to DOW/DOI values on AHM tables.

• Cabin crew and technician who occupy passenger seat are not shown in the crew section on Loadsheet

SUBJECT	DRY OPERATING WEIGHT AND INDEX TABLE & EFFECTIVE LOADTRIMSHEET
BULLETIN NUMBER-ISSUE DATE	2016/ Rev.05 - 25.Oct 2016
EFFECTIVE DATE	27 OCT2016
EXPIRY DATE(*)	UFN

TC-JOY

MANUAL LOADTRIMSHEETS WITH FOLLOWING REF.CODES ARE EFFECTIVE "31.MAY.2013 LOAD&TRIM SHEET A330-243F"

Select the proper DOW/DOI from the below table prepared for several possible standard cockpit/cabin crew,pantry codes & potable water tanks fill ratio. All weights are in KG

% 100 POTABLE WATER			% 75 POTABLE WATER			% 50 POTABLE WATER			% 25 POTABLE WATER		
PANTRY CODES			PANTRY CODES			PANTRY CODES			PANTRY CODES		
CR E W	A	N	CR E W	A	N	CR E W	A	N	CR E W	A	N
2/ 0	109836 70.1	109811 70.3	2/ 0	109811 70.2	109786 70.4	2/ 0	109786 70.3	109761 70.5	2/ 0	109761 70.4	109736 70.6
2/ 1	109921 69.3	109896 69.5	2/ 1	109896 69.4	109871 69.6	2/ 1	109871 69.5	109846 69.7	2/ 1	109846 69.6	109821 69.8
2/ 2	110006 68.5	109981 68.7	2/ 2	109981 68.6	109956 68.8	2/ 2	109956 68.7	109931 68.9	2/ 2	109931 68.8	109906 69
2/ 3	110091 67.8	110066 68	2/ 3	110066 67.9	110041 68.1	2/ 3	110041 68	110016 68.2	2/ 3	110016 68.1	109991 68.3
2/ 4	110176 67	110151 67.2	2/ 4	110151 67.1	110126 67.3	2/ 4	110126 67.2	110101 67.4	2/ 4	110101 67.3	110076 67.5
3/ 0	109921 69.2	109896 69.4	3/ 0	109896 69.3	109871 69.5	3/ 0	109871 69.4	109846 69.6	3/ 0	109846 69.5	109821 69.7
3/ 1	110006 68.4	109981 68.6	3/ 1	109981 68.5	109956 68.7	3/ 1	109956 68.6	109931 68.8	3/ 1	109931 68.7	109906 68.9
3/ 2	110091 67.6	110066 67.8	3/ 2	110066 67.7	110041 67.9	3/ 2	110041 67.8	110016 68	3/ 2	110016 67.9	109991 68.1
3/ 3	110176 66.9	110151 67.1	3/ 3	110151 67	110126 67.2	3/ 3	110126 67.1	110101 67.3	3/ 3	110101 67.2	110076 67.4
3/ 4	110261 66.1	110236 66.3	3/ 4	110236 66.2	110211 66.4	3/ 4	110211 66.3	110186 66.5	3/ 4	110186 66.4	110161 66.6
4/ 0	110006 68.3	109981 68.5	4/ 0	109981 68.4	109956 68.6	4/ 0	109956 68.5	109931 68.7	4/ 0	109931 68.6	109906 68.8
4/ 1	110091 67.5	110066 67.7	4/ 1	110066 67.6	110041 67.8	4/ 1	110041 67.7	110016 67.9	4/ 1	110016 67.8	109991 68
4/ 2	110176 66.7	110151 66.9	4/ 2	110151 66.8	110126 67	4/ 2	110126 66.9	110101 67.1	4/ 2	110101 67	110076 67.2
4/ 3	110261 66	110236 66.2	4/ 3	110236 66.1	110211 66.3	4/ 3	110211 66.2	110186 66.4	4/ 3	110186 66.3	110161 66.5
4/ 4	110346 65.2	110321 65.4	4/ 4	110321 65.3	110296 65.5	4/ 4	110296 65.4	110271 65.6	4/ 4	110271 65.5	110246 65.7

REMARKS: A ER FLIGHTS N All International flight

DOI calculation remark : During Index Calculations due to DCS system rounding (or truncating), approximately +/- 0.3 index difference is acceptable.

Note: In case of occupying passenger seats rather than crew seats by cockpit/cabin crew/ and/or technician who are on duty;

- Crew(Cabin crew:75 kgs Cockpit crew:85 kgs) and technician (85 kgs) weights and their index influence based on passenger seats shall be added to DOW/DOI values on AHM tables.
- Cabin crew and technician who occupy passenger seat are not shown in the crew section on Loadsheet

SUBJECT	DRY OPERATING WEIGHT AND INDEX TABLE & EFFECTIVE LOADTRIMSHEET
BULLETIN NUMBER-ISSUE DATE	2017/ Rev.07 - 25.Jan. 2017
EFFECTIVE DATE	25.Jan. 2017
EXPIRY DATE(*)	UFN

TC-JOZ

MANUAL LOADTRIMSHEETS WITH FOLLOWING REF.CODES ARE EFFECTIVE "31.MAY.2013 LOAD&TRIM SHEET A330-243E"

Select the proper DOW/DOI from the below table prepared for several possible standard cockpit/cabin crew,pantry codes & potable water tanks fill ratio. All weights are in KG

% 100 POTABLE WATER			% 75 POTABLE WATER			% 50 POTABLE WATER			% 25 POTABLE WATER		
PANTRY CODES			PANTRY CODES			PANTRY CODES			PANTRY CODES		
CR	A	N	CR	A	N	CR	A	N	CR	A	N
E			E			E			E		
W			W			W			W		
2/0	109740 69.4	109715 69.6	2/0	109715 69.5	109690 69.7	2/0	109690 69.6	109665 69.8	2/0	109665 69.7	109640 69.9
2/1	109825 68.6	109800 68.8	2/1	109800 68.7	109775 68.9	2/1	109775 68.8	109750 69	2/1	109750 68.9	109725 69.1
2/2	109910 67.8	109885 68	2/2	109885 67.9	109860 68.1	2/2	109860 68	109835 68.2	2/2	109835 68.1	109810 68.3
2/3	109995 67.1	109970 67.3	2/3	109970 67.2	109945 67.4	2/3	109945 67.3	109920 67.5	2/3	109920 67.4	109895 67.6
2/4	110080 66.3	110055 66.5	2/4	110055 66.4	110030 66.6	2/4	110030 66.5	110005 66.7	2/4	110005 66.6	109980 66.8

3/0	109825 68.5	109800 68.7	3/0	109800 68.6	109775 68.8	3/0	109775 68.7	109750 68.9	3/0	109750 68.8	109725 69
3/1	109910 67.7	109885 67.9	3/1	109885 67.8	109860 68	3/1	109860 67.9	109835 68.1	3/1	109835 68	109810 68.2
3/2	109995 66.9	109970 67.1	3/2	109970 67	109945 67.2	3/2	109945 67.1	109920 67.3	3/2	109920 67.2	109895 67.4
3/3	110080 66.2	110055 66.4	3/3	110055 66.3	110030 66.5	3/3	110030 66.4	110005 66.6	3/3	110005 66.5	109980 66.7
3/4	110165 65.4	110140 65.6	3/4	110140 65.5	110115 65.7	3/4	110115 65.6	110090 65.8	3/4	110090 65.7	110065 65.9

4/0	109910 67.6	109885 67.8	4/0	109885 67.7	109860 67.9	4/0	109860 67.8	109835 68	4/0	109835 67.9	109810 68.1
4/1	109995 66.8	109970 67	4/1	109970 66.9	109945 67.1	4/1	109945 67	109920 67.2	4/1	109920 67.1	109895 67.3
4/2	110080 66	110055 66.2	4/2	110055 66.1	110030 66.3	4/2	110030 66.2	110005 66.4	4/2	110005 66.3	109980 66.5
4/3	110165 65.3	110140 65.5	4/3	110140 65.4	110115 65.6	4/3	110115 65.5	110090 65.7	4/3	110090 65.6	110065 65.8
4/4	110250 64.5	110225 64.7	4/4	110225 64.6	110200 64.8	4/4	110200 64.7	110175 64.9	4/4	110175 64.8	110150 65

REMARKS: A ER FLIGHTS N All International flight

DOI calculation remark : During Index Calculations due to DCS system rounding (or truncating), approximately +/- 0.3 index difference is acceptable.

Note: In case of occupying passenger seats rather than crew seats by cockpit/cabin crew/ and/or technician who are on duty;

- Crew(Cabin crew:75 kgs Cockpit crew:85 kgs) and technician (85 kgs) weights and their index influence based on passenger seats shall be added to DOW/DOI values on AHM tables.
- Cabin crew and technician who occupy passenger seat are not shown in the crew section on Loadsheets