

|                                   |  |
|-----------------------------------|--|
| <b>SUBJECT</b>                    | DRY OPERATING WEIGHT AND INDEX TABLE & EFFECTIVE LOADTRIMSHEET |
| <b>BULLETIN NUMBER-ISSUE DATE</b> | 2016/ Rev.06 - 9.Nov 2016                                      |
| <b>EFFECTIVE DATE</b>             | 9.Nov.2016   |
| <b>EXPIRY DATE(*)</b>             | UFN  |

**TC-JDO**

MANUAL LOADTRIMSHEETS WITH FOLLOWING REF.CODES ARE EFFECTIVE "31.MAY.2013 LOAD&TRIM SHEET A330-243F"

Select the proper DOW/DOI from the below table prepared for several possible standard cockpit/cabin crew,pantry codes & potable water tanks fill ratio. All weights are in KG

| % 100 POTABLE WATER |                |                | % 75 POTABLE WATER |                |                | % 50 POTABLE WATER |                |                | % 25 POTABLE WATER |                |                |
|---------------------|----------------|----------------|--------------------|----------------|----------------|--------------------|----------------|----------------|--------------------|----------------|----------------|
| PANTRY CODES        |                |                | PANTRY CODES       |                |                | PANTRY CODES       |                |                | PANTRY CODES       |                |                |
| CR<br>E<br>W        | A              | N              | CR<br>E<br>W       | A              | N              | CR<br>E<br>W       | A              | N              | CR<br>E<br>W       | A              | N              |
| 2/<br>0             | 110149<br>69.6 | 110124<br>69.8 | 2/<br>0            | 110124<br>69.7 | 110099<br>69.9 | 2/<br>0            | 110099<br>69.8 | 110074<br>70   | 2/<br>0            | 110074<br>69.9 | 110049<br>70.1 |
| 2/<br>1             | 110234<br>68.8 | 110209<br>69   | 2/<br>1            | 110209<br>68.9 | 110184<br>69.1 | 2/<br>1            | 110184<br>69   | 110159<br>69.2 | 2/<br>1            | 110159<br>69.1 | 110134<br>69.3 |
| 2/<br>2             | 110319<br>68   | 110294<br>68.2 | 2/<br>2            | 110294<br>68.1 | 110269<br>68.3 | 2/<br>2            | 110269<br>68.2 | 110244<br>68.4 | 2/<br>2            | 110244<br>68.3 | 110219<br>68.5 |
| 2/<br>3             | 110404<br>67.3 | 110379<br>67.5 | 2/<br>3            | 110379<br>67.4 | 110354<br>67.6 | 2/<br>3            | 110354<br>67.5 | 110329<br>67.7 | 2/<br>3            | 110329<br>67.6 | 110304<br>67.8 |
| 2/<br>4             | 110489<br>66.5 | 110464<br>66.7 | 2/<br>4            | 110464<br>66.6 | 110439<br>66.8 | 2/<br>4            | 110439<br>66.7 | 110414<br>66.9 | 2/<br>4            | 110414<br>66.8 | 110389<br>67   |
| 3/<br>0             | 110234<br>68.7 | 110209<br>68.9 | 3/<br>0            | 110209<br>68.8 | 110184<br>69   | 3/<br>0            | 110184<br>68.9 | 110159<br>69.1 | 3/<br>0            | 110159<br>69   | 110134<br>69.2 |
| 3/<br>1             | 110319<br>67.9 | 110294<br>68.1 | 3/<br>1            | 110294<br>68   | 110269<br>68.2 | 3/<br>1            | 110269<br>68.1 | 110244<br>68.3 | 3/<br>1            | 110244<br>68.2 | 110219<br>68.4 |
| 3/<br>2             | 110404<br>67.1 | 110379<br>67.3 | 3/<br>2            | 110379<br>67.2 | 110354<br>67.4 | 3/<br>2            | 110354<br>67.3 | 110329<br>67.5 | 3/<br>2            | 110329<br>67.4 | 110304<br>67.6 |
| 3/<br>3             | 110489<br>66.4 | 110464<br>66.6 | 3/<br>3            | 110464<br>66.5 | 110439<br>66.7 | 3/<br>3            | 110439<br>66.6 | 110414<br>66.8 | 3/<br>3            | 110414<br>66.7 | 110389<br>66.9 |
| 3/<br>4             | 110574<br>65.6 | 110549<br>65.8 | 3/<br>4            | 110549<br>65.7 | 110524<br>65.9 | 3/<br>4            | 110524<br>65.8 | 110499<br>66   | 3/<br>4            | 110499<br>65.9 | 110474<br>66.1 |
| 4/<br>0             | 110319<br>67.8 | 110294<br>68   | 4/<br>0            | 110294<br>67.9 | 110269<br>68.1 | 4/<br>0            | 110269<br>68   | 110244<br>68.2 | 4/<br>0            | 110244<br>68.1 | 110219<br>68.3 |
| 4/<br>1             | 110404<br>67   | 110379<br>67.2 | 4/<br>1            | 110379<br>67.1 | 110354<br>67.3 | 4/<br>1            | 110354<br>67.2 | 110329<br>67.4 | 4/<br>1            | 110329<br>67.3 | 110304<br>67.5 |
| 4/<br>2             | 110489<br>66.2 | 110464<br>66.4 | 4/<br>2            | 110464<br>66.3 | 110439<br>66.5 | 4/<br>2            | 110439<br>66.4 | 110414<br>66.6 | 4/<br>2            | 110414<br>66.5 | 110389<br>66.7 |
| 4/<br>3             | 110574<br>65.5 | 110549<br>65.7 | 4/<br>3            | 110549<br>65.6 | 110524<br>65.8 | 4/<br>3            | 110524<br>65.7 | 110499<br>65.9 | 4/<br>3            | 110499<br>65.8 | 110474<br>66   |
| 4/<br>4             | 110659<br>64.7 | 110634<br>64.9 | 4/<br>4            | 110634<br>64.8 | 110609<br>65   | 4/<br>4            | 110609<br>64.9 | 110584<br>65.1 | 4/<br>4            | 110584<br>65   | 110559<br>65.2 |

REMARKS: A ER FLIGHTS N All International flight

DOI calculation remark : During Index Calculations due to DCS system rounding (or truncating), approximately +/- 0.3 index difference is acceptable.

**Note:** In case of occupying passenger seats rather than crew seats by cockpit/cabin crew/ and/or technician who are on duty;

- Crew/Cabin crew:75 kgs Cockpit crew:85 kgs) and technician (85 kgs) weights and their index influence based on passenger seats shall be added to DOW/DOI values on AHM tables.
- Cabin crew and technician who occupy passenger seat are not shown in the crew section on Loadsheets

|                                   |  |
|-----------------------------------|--|
| <b>SUBJECT</b>                    | DRY OPERATING WEIGHT AND INDEX TABLE & EFFECTIVE LOADTRIMSHEET |
| <b>BULLETIN NUMBER-ISSUE DATE</b> | 2016/ Rev03 - 14.MAY 2016                                      |
| <b>EFFECTIVE DATE</b>             | 14.MAY.2016  |
| <b>EXPIRY DATE(*)</b>             | UFN  |

**TC-JDP**

MANUAL LOADTRIMSHEETS WITH FOLLOWING REF.CODES ARE EFFECTIVE "31.MAY.2013 LOAD&TRIM SHEET A330-243F"

Select the proper DOW/DOI from the below table prepared for several possible standard cockpit/cabin crew,pantry codes & potable water tanks fill ratio. All weights are in KG

| % 100 POTABLE WATER |                |                | % 75 POTABLE WATER |                |                | % 50 POTABLE WATER |                |                | % 25 POTABLE WATER |                |                |
|---------------------|----------------|----------------|--------------------|----------------|----------------|--------------------|----------------|----------------|--------------------|----------------|----------------|
| PANTRY CODES        |                |                | PANTRY CODES       |                |                | PANTRY CODES       |                |                | PANTRY CODES       |                |                |
| CR<br>E<br>W        | A              | N              | CR<br>E<br>W       | A              | N              | CR<br>E<br>W       | A              | N              | CR<br>E<br>W       | A              | N              |
| 2/<br>0             | 109465<br>70   | 109440<br>70.2 | 2/<br>0            | 109440<br>70.1 | 109415<br>70.3 | 2/<br>0            | 109415<br>70.2 | 109390<br>70.4 | 2/<br>0            | 109390<br>70.3 | 109365<br>70.5 |
| 2/<br>1             | 109550<br>69.2 | 109525<br>69.4 | 2/<br>1            | 109525<br>69.3 | 109500<br>69.5 | 2/<br>1            | 109500<br>69.4 | 109475<br>69.6 | 2/<br>1            | 109475<br>69.5 | 109450<br>69.7 |
| 2/<br>2             | 109635<br>68.4 | 109610<br>68.6 | 2/<br>2            | 109610<br>68.5 | 109585<br>68.7 | 2/<br>2            | 109585<br>68.6 | 109560<br>68.8 | 2/<br>2            | 109560<br>68.7 | 109535<br>68.9 |
| 2/<br>3             | 109720<br>67.7 | 109695<br>67.9 | 2/<br>3            | 109695<br>67.8 | 109670<br>68   | 2/<br>3            | 109670<br>67.9 | 109645<br>68.1 | 2/<br>3            | 109645<br>68   | 109620<br>68.2 |
| 2/<br>4             | 109805<br>66.9 | 109780<br>67.1 | 2/<br>4            | 109780<br>67   | 109755<br>67.2 | 2/<br>4            | 109755<br>67.1 | 109730<br>67.3 | 2/<br>4            | 109730<br>67.2 | 109705<br>67.4 |
| 3/<br>0             | 109550<br>69.1 | 109525<br>69.3 | 3/<br>0            | 109525<br>69.2 | 109500<br>69.4 | 3/<br>0            | 109500<br>69.3 | 109475<br>69.5 | 3/<br>0            | 109475<br>69.4 | 109450<br>69.6 |
| 3/<br>1             | 109635<br>68.3 | 109610<br>68.5 | 3/<br>1            | 109610<br>68.4 | 109585<br>68.6 | 3/<br>1            | 109585<br>68.5 | 109560<br>68.7 | 3/<br>1            | 109560<br>68.6 | 109535<br>68.8 |
| 3/<br>2             | 109720<br>67.5 | 109695<br>67.7 | 3/<br>2            | 109695<br>67.6 | 109670<br>67.8 | 3/<br>2            | 109670<br>67.7 | 109645<br>67.9 | 3/<br>2            | 109645<br>67.8 | 109620<br>68   |
| 3/<br>3             | 109805<br>66.8 | 109780<br>67   | 3/<br>3            | 109780<br>66.9 | 109755<br>67.1 | 3/<br>3            | 109755<br>67   | 109730<br>67.2 | 3/<br>3            | 109730<br>67.1 | 109705<br>67.3 |
| 3/<br>4             | 109890<br>66   | 109865<br>66.2 | 3/<br>4            | 109865<br>66.1 | 109840<br>66.3 | 3/<br>4            | 109840<br>66.2 | 109815<br>66.4 | 3/<br>4            | 109815<br>66.3 | 109790<br>66.5 |
| 4/<br>0             | 109635<br>68.2 | 109610<br>68.4 | 4/<br>0            | 109610<br>68.3 | 109585<br>68.5 | 4/<br>0            | 109585<br>68.4 | 109560<br>68.6 | 4/<br>0            | 109560<br>68.5 | 109535<br>68.7 |
| 4/<br>1             | 109720<br>67.4 | 109695<br>67.6 | 4/<br>1            | 109695<br>67.5 | 109670<br>67.7 | 4/<br>1            | 109670<br>67.6 | 109645<br>67.8 | 4/<br>1            | 109645<br>67.7 | 109620<br>67.9 |
| 4/<br>2             | 109805<br>66.6 | 109780<br>66.8 | 4/<br>2            | 109780<br>66.7 | 109755<br>66.9 | 4/<br>2            | 109755<br>66.8 | 109730<br>67   | 4/<br>2            | 109730<br>66.9 | 109705<br>67.1 |
| 4/<br>3             | 109890<br>65.9 | 109865<br>66.1 | 4/<br>3            | 109865<br>66   | 109840<br>66.2 | 4/<br>3            | 109840<br>66.1 | 109815<br>66.3 | 4/<br>3            | 109815<br>66.2 | 109790<br>66.4 |
| 4/<br>4             | 109975<br>65.1 | 109950<br>65.3 | 4/<br>4            | 109950<br>65.2 | 109925<br>65.4 | 4/<br>4            | 109925<br>65.3 | 109900<br>65.5 | 4/<br>4            | 109900<br>65.4 | 109875<br>65.6 |

REMARKS: A ER FLIGHTS N All International flight  
DOI calculation remark : During Index Calculations due to DCS system rounding (or truncating), approximately +/- 0.3 index difference is acceptable.  
**Note:** In case of occupying passenger seats rather than crew seats by cockpit/cabin crew/ and/or technician who are on duty;  
• Crew(Cabin crew:75 kgs Cockpit crew:85 kgs) and technician (85 kgs) weights and their index influence based on passenger seats shall be added to DOW/DOI values on AHM tables.  
• Cabin crew and technician who occupy passenger seat are not shown in the crew section on Loadsheet

|                                   |  |
|-----------------------------------|--|
| <b>SUBJECT</b>                    | DRY OPERATING WEIGHT AND INDEX TABLE & EFFECTIVE LOADTRIMSHEET |
| <b>BULLETIN NUMBER-ISSUE DATE</b> | 2016/ Rev.05 - 25.Oct 2016                                     |
| <b>EFFECTIVE DATE</b>             | 27 OCT2016   |
| <b>EXPIRY DATE(*)</b>             | UFN  |

**TC-JDR**

MANUAL LOADTRIMSHEETS WITH FOLLOWING REF.CODES ARE EFFECTIVE "31.MAY.2013 LOAD&TRIM SHEET A330-243F"

Select the proper DOW/DOI from the below table prepared for several possible standard cockpit/cabin crew,pantry codes & potable water tanks fill ratio. All weights are in KG

| % 100 POTABLE WATER |                |                | % 75 POTABLE WATER |                |                | % 50 POTABLE WATER |                |                | % 25 POTABLE WATER |                |                |
|---------------------|----------------|----------------|--------------------|----------------|----------------|--------------------|----------------|----------------|--------------------|----------------|----------------|
| PANTRY CODES        |                |                | PANTRY CODES       |                |                | PANTRY CODES       |                |                | PANTRY CODES       |                |                |
| CR<br>E<br>W        | A              | N              | CR<br>E<br>W       | A              | N              | CR<br>E<br>W       | A              | N              | CR<br>E<br>W       | A              | N              |
| 2/<br>0             | 109849<br>69.2 | 109824<br>69.4 | 2/<br>0            | 109824<br>69.3 | 109799<br>69.5 | 2/<br>0            | 109799<br>69.4 | 109774<br>69.6 | 2/<br>0            | 109774<br>69.5 | 109749<br>69.7 |
| 2/<br>1             | 109934<br>68.4 | 109909<br>68.6 | 2/<br>1            | 109909<br>68.5 | 109884<br>68.7 | 2/<br>1            | 109884<br>68.6 | 109859<br>68.8 | 2/<br>1            | 109859<br>68.7 | 109834<br>68.9 |
| 2/<br>2             | 110019<br>67.6 | 109994<br>67.8 | 2/<br>2            | 109994<br>67.7 | 109969<br>67.9 | 2/<br>2            | 109969<br>67.8 | 109944<br>68   | 2/<br>2            | 109944<br>67.9 | 109919<br>68.1 |
| 2/<br>3             | 110104<br>66.9 | 110079<br>67.1 | 2/<br>3            | 110079<br>67   | 110054<br>67.2 | 2/<br>3            | 110054<br>67.1 | 110029<br>67.3 | 2/<br>3            | 110029<br>67.2 | 110004<br>67.4 |
| 2/<br>4             | 110189<br>66.1 | 110164<br>66.3 | 2/<br>4            | 110164<br>66.2 | 110139<br>66.4 | 2/<br>4            | 110139<br>66.3 | 110114<br>66.5 | 2/<br>4            | 110114<br>66.4 | 110089<br>66.6 |
| 3/<br>0             | 109934<br>68.3 | 109909<br>68.5 | 3/<br>0            | 109909<br>68.4 | 109884<br>68.6 | 3/<br>0            | 109884<br>68.5 | 109859<br>68.7 | 3/<br>0            | 109859<br>68.6 | 109834<br>68.8 |
| 3/<br>1             | 110019<br>67.5 | 109994<br>67.7 | 3/<br>1            | 109994<br>67.6 | 109969<br>67.8 | 3/<br>1            | 109969<br>67.7 | 109944<br>67.9 | 3/<br>1            | 109944<br>67.8 | 109919<br>68   |
| 3/<br>2             | 110104<br>66.7 | 110079<br>66.9 | 3/<br>2            | 110079<br>66.8 | 110054<br>67   | 3/<br>2            | 110054<br>66.9 | 110029<br>67.1 | 3/<br>2            | 110029<br>67   | 110004<br>67.2 |
| 3/<br>3             | 110189<br>66   | 110164<br>66.2 | 3/<br>3            | 110164<br>66.1 | 110139<br>66.3 | 3/<br>3            | 110139<br>66.2 | 110114<br>66.4 | 3/<br>3            | 110114<br>66.3 | 110089<br>66.5 |
| 3/<br>4             | 110274<br>65.2 | 110249<br>65.4 | 3/<br>4            | 110249<br>65.3 | 110224<br>65.5 | 3/<br>4            | 110224<br>65.4 | 110199<br>65.6 | 3/<br>4            | 110199<br>65.5 | 110174<br>65.7 |
| 4/<br>0             | 110019<br>67.4 | 109994<br>67.6 | 4/<br>0            | 109994<br>67.5 | 109969<br>67.7 | 4/<br>0            | 109969<br>67.6 | 109944<br>67.8 | 4/<br>0            | 109944<br>67.7 | 109919<br>67.9 |
| 4/<br>1             | 110104<br>66.6 | 110079<br>66.8 | 4/<br>1            | 110079<br>66.7 | 110054<br>66.9 | 4/<br>1            | 110054<br>66.8 | 110029<br>67   | 4/<br>1            | 110029<br>66.9 | 110004<br>67.1 |
| 4/<br>2             | 110189<br>65.8 | 110164<br>66   | 4/<br>2            | 110164<br>65.9 | 110139<br>66.1 | 4/<br>2            | 110139<br>66   | 110114<br>66.2 | 4/<br>2            | 110114<br>66.1 | 110089<br>66.3 |
| 4/<br>3             | 110274<br>65.1 | 110249<br>65.3 | 4/<br>3            | 110249<br>65.2 | 110224<br>65.4 | 4/<br>3            | 110224<br>65.3 | 110199<br>65.5 | 4/<br>3            | 110199<br>65.4 | 110174<br>65.6 |
| 4/<br>4             | 110359<br>64.3 | 110334<br>64.5 | 4/<br>4            | 110334<br>64.4 | 110309<br>64.6 | 4/<br>4            | 110309<br>64.5 | 110284<br>64.7 | 4/<br>4            | 110284<br>64.6 | 110259<br>64.8 |

REMARKS: A ER FLIGHTS N All International flight

DOI calculation remark : During Index Calculations due to DCS system rounding (or truncating), approximately +/- 0.3 index difference is acceptable.

**Note:** In case of occupying passenger seats rather than crew seats by cockpit/cabin crew/ and/or technician who are on duty;

- Crew(Cabin crew:75 kgs Cockpit crew:85 kgs) and technician (85 kgs) weights and their index influence based on passenger seats shall be added to DOW/DOI values on AHM tables.
- Cabin crew and technician who occupy passenger seat are not shown in the crew section on Loadsheet

|                                   |  |
|-----------------------------------|--|
| <b>SUBJECT</b>                    | DRY OPERATING WEIGHT AND INDEX TABLE & EFFECTIVE LOADTRIMSHEET |
| <b>BULLETIN NUMBER-ISSUE DATE</b> | 2017/ REV08 - 31.MAR.2017                                      |
| <b>EFFECTIVE DATE</b>             | 31.MAR.2017  |
| <b>EXPIRY DATE(*)</b>             | UFN  |

**TC-JDS**

MANUAL LOADTRIMSHEETS WITH FOLLOWING REF.CODES ARE EFFECTIVE "31.MAY.2013 LOAD&TRIM SHEET A330-243F"

Select the proper DOW/DOI from the below table prepared for several possible standard cockpit/cabin crew,pantry codes & potable water tanks fill ratio. All weights are in KG

| CREW | % 100 POTABLE WATER |        | % 75 POTABLE WATER |        | CREW | % 50 POTABLE WATER |        | % 25 POTABLE WATER |        |
|------|---------------------|--------|--------------------|--------|------|--------------------|--------|--------------------|--------|
|      | PANTRY CODES        |        | PANTRY CODES       |        |      | PANTRY CODES       |        | PANTRY CODES       |        |
|      | A                   | N      | A                  | N      |      | A                  | N      | A                  | N      |
| 2/0  | 109309              | 109284 | 109284             | 109259 | 2/0  | 109259             | 109234 | 109234             | 109209 |
|      | 71.4                | 71.6   | 71.5               | 71.7   |      | 71.6               | 71.8   | 71.7               | 71.9   |
| 2/1  | 109394              | 109369 | 109369             | 109344 | 2/1  | 109344             | 109319 | 109319             | 109294 |
|      | 70.6                | 70.8   | 70.7               | 70.9   |      | 70.8               | 71     | 70.9               | 71.1   |
| 2/2  | 109479              | 109454 | 109454             | 109429 | 2/2  | 109429             | 109404 | 109404             | 109379 |
|      | 69.8                | 70     | 69.9               | 70.1   |      | 70                 | 70.2   | 70.1               | 70.3   |
| 2/3  | 109564              | 109539 | 109539             | 109514 | 2/3  | 109514             | 109489 | 109489             | 109464 |
|      | 69.1                | 69.3   | 69.2               | 69.4   |      | 69.3               | 69.5   | 69.4               | 69.6   |
| 2/4  | 109649              | 109624 | 109624             | 109599 | 2/4  | 109599             | 109574 | 109574             | 109549 |
|      | 68.3                | 68.5   | 68.4               | 68.6   |      | 68.5               | 68.7   | 68.6               | 68.8   |
| 3/0  | 109394              | 109369 | 109369             | 109344 | 3/0  | 109344             | 109319 | 109319             | 109294 |
|      | 70.5                | 70.7   | 70.6               | 70.8   |      | 70.7               | 70.9   | 70.8               | 71     |
| 3/1  | 109479              | 109454 | 109454             | 109429 | 3/1  | 109429             | 109404 | 109404             | 109379 |
|      | 69.7                | 69.9   | 69.8               | 70     |      | 69.9               | 70.1   | 70                 | 70.2   |
| 3/2  | 109564              | 109539 | 109539             | 109514 | 3/2  | 109514             | 109489 | 109489             | 109464 |
|      | 68.9                | 69.1   | 69                 | 69.2   |      | 69.1               | 69.3   | 69.2               | 69.4   |
| 3/3  | 109649              | 109624 | 109624             | 109599 | 3/3  | 109599             | 109574 | 109574             | 109549 |
|      | 68.2                | 68.4   | 68.3               | 68.5   |      | 68.4               | 68.6   | 68.5               | 68.7   |
| 3/4  | 109734              | 109709 | 109709             | 109684 | 3/4  | 109684             | 109659 | 109659             | 109634 |
|      | 67.4                | 67.6   | 67.5               | 67.7   |      | 67.6               | 67.8   | 67.7               | 67.9   |
| 4/0  | 109479              | 109454 | 109454             | 109429 | 4/0  | 109429             | 109404 | 109404             | 109379 |
|      | 69.6                | 69.8   | 69.7               | 69.9   |      | 69.8               | 70     | 69.9               | 70.1   |
| 4/1  | 109564              | 109539 | 109539             | 109514 | 4/1  | 109514             | 109489 | 109489             | 109464 |
|      | 68.8                | 69     | 68.9               | 69.1   |      | 69                 | 69.2   | 69.1               | 69.3   |
| 4/2  | 109649              | 109624 | 109624             | 109599 | 4/2  | 109599             | 109574 | 109574             | 109549 |
|      | 68                  | 68.2   | 68.1               | 68.3   |      | 68.2               | 68.4   | 68.3               | 68.5   |
| 4/3  | 109734              | 109709 | 109709             | 109684 | 4/3  | 109684             | 109659 | 109659             | 109634 |
|      | 67.3                | 67.5   | 67.4               | 67.6   |      | 67.5               | 67.7   | 67.6               | 67.8   |
| 4/4  | 109819              | 109794 | 109794             | 109769 | 4/4  | 109769             | 109744 | 109744             | 109719 |
|      | 66.5                | 66.7   | 66.6               | 66.8   |      | 66.7               | 66.9   | 66.8               | 67     |

REMARKS: A ER FLIGHTS N All International flight  
 DOI calculation remark : During Index Calculations due to DCS system rounding (or truncating), approximately +/- 0.3 index difference is acceptable.  
**Note:** In case of occupying passenger seats rather than crew seats by cockpit/cabin crew/ and/or technician who are on duty;  
 • Crew(Cabin crew:75 kgs Cockpit crew:85 kgs) and technician (85 kgs) weights and their index influence based on passenger seats shall be added to DOW/DOI values on AHM tables.  
 • Cabin crew and technician who occupy passenger seat are not shown in the crew section on Loadsheets



|                                   |  |
|-----------------------------------|--|
| <b>SUBJECT</b>                    | DRY OPERATING WEIGHT AND INDEX TABLE & EFFECTIVE LOADTRIMSHEET |
| <b>BULLETIN NUMBER-ISSUE DATE</b> | 2017/ REV09 - 19.DEC.2017                                      |
| <b>EFFECTIVE DATE</b>             | 19.DEC.2017  |
| <b>EXPIRY DATE(*)</b>             | UFN  |

**TC-JCI**

MANUAL LOADTRIMSHEETS WITH FOLLOWING REF.CODES ARE EFFECTIVE "31.MAY.2013 LOAD&TRIM SHEET A330-243E"

Select the proper DOW/DOI from the below table prepared for several possible standard cockpit/cabin crew,pantry codes & potable water tanks fill ratio. All weights are in KG

| CREW | % 100 POTABLE WATER |        | % 75 POTABLE WATER |        | CREW | % 50 POTABLE WATER |        | % 25 POTABLE WATER |        |
|------|---------------------|--------|--------------------|--------|------|--------------------|--------|--------------------|--------|
|      | PANTRY CODES        |        | PANTRY CODES       |        |      | PANTRY CODES       |        | PANTRY CODES       |        |
|      | A                   | N      | A                  | N      |      | A                  | N      | A                  | N      |
| 2/0  | 109772              | 109747 | 109747             | 109722 | 2/0  | 109722             | 109697 | 109697             | 109672 |
|      | 70.2                | 70.4   | 70.3               | 70.5   |      | 70.4               | 70.6   | 70.5               | 70.7   |
| 2/1  | 109857              | 109832 | 109832             | 109807 | 2/1  | 109807             | 109782 | 109782             | 109757 |
|      | 69.4                | 69.6   | 69.5               | 69.7   |      | 69.6               | 69.8   | 69.7               | 69.9   |
| 2/2  | 109942              | 109917 | 109917             | 109892 | 2/2  | 109892             | 109867 | 109867             | 109842 |
|      | 68.6                | 68.8   | 68.7               | 68.9   |      | 68.8               | 69     | 68.9               | 69.1   |
| 2/3  | 110027              | 110002 | 110002             | 109977 | 2/3  | 109977             | 109952 | 109952             | 109927 |
|      | 67.9                | 68.1   | 68                 | 68.2   |      | 68.1               | 68.3   | 68.2               | 68.4   |
| 2/4  | 110112              | 110087 | 110087             | 110062 | 2/4  | 110062             | 110037 | 110037             | 110012 |
|      | 67.1                | 67.3   | 67.2               | 67.4   |      | 67.3               | 67.5   | 67.4               | 67.6   |
| 3/0  | 109857              | 109832 | 109832             | 109807 | 3/0  | 109807             | 109782 | 109782             | 109757 |
|      | 69.3                | 69.5   | 69.4               | 69.6   |      | 69.5               | 69.7   | 69.6               | 69.8   |
| 3/1  | 109942              | 109917 | 109917             | 109892 | 3/1  | 109892             | 109867 | 109867             | 109842 |
|      | 68.5                | 68.7   | 68.6               | 68.8   |      | 68.7               | 68.9   | 68.8               | 69     |
| 3/2  | 110027              | 110002 | 110002             | 109977 | 3/2  | 109977             | 109952 | 109952             | 109927 |
|      | 67.7                | 67.9   | 67.8               | 68     |      | 67.9               | 68.1   | 68                 | 68.2   |
| 3/3  | 110112              | 110087 | 110087             | 110062 | 3/3  | 110062             | 110037 | 110037             | 110012 |
|      | 67                  | 67.2   | 67.1               | 67.3   |      | 67.2               | 67.4   | 67.3               | 67.5   |
| 3/4  | 110197              | 110172 | 110172             | 110147 | 3/4  | 110147             | 110122 | 110122             | 110097 |
|      | 66.2                | 66.4   | 66.3               | 66.5   |      | 66.4               | 66.6   | 66.5               | 66.7   |
| 4/0  | 109942              | 109917 | 109917             | 109892 | 4/0  | 109892             | 109867 | 109867             | 109842 |
|      | 68.4                | 68.6   | 68.5               | 68.7   |      | 68.6               | 68.8   | 68.7               | 68.9   |
| 4/1  | 110027              | 110002 | 110002             | 109977 | 4/1  | 109977             | 109952 | 109952             | 109927 |
|      | 67.6                | 67.8   | 67.7               | 67.9   |      | 67.8               | 68     | 67.9               | 68.1   |
| 4/2  | 110112              | 110087 | 110087             | 110062 | 4/2  | 110062             | 110037 | 110037             | 110012 |
|      | 66.8                | 67     | 66.9               | 67.1   |      | 67                 | 67.2   | 67.1               | 67.3   |
| 4/3  | 110197              | 110172 | 110172             | 110147 | 4/3  | 110147             | 110122 | 110122             | 110097 |
|      | 66.1                | 66.3   | 66.2               | 66.4   |      | 66.3               | 66.5   | 66.4               | 66.6   |
| 4/4  | 110282              | 110257 | 110257             | 110232 | 4/4  | 110232             | 110207 | 110207             | 110182 |
|      | 65.3                | 65.5   | 65.4               | 65.6   |      | 65.5               | 65.7   | 65.6               | 65.8   |

REMARKS: A ER FLIGHTS N All International flight

DOI calculation remark : During Index Calculations due to DCS system rounding (or truncating), approximately +/- 0.3 index difference is acceptable.

**Note:** In case of occupying passenger seats rather than crew seats by cockpit/cabin crew/ and/or technician who are on duty;

- Crew/Cabin crew:(75 kgs Cockpit crew:85 kgs) and technician (85 kgs) weights and their index influence based on passenger seats shall be added to DOW/DOI values on AHM tables.
- Cabin crew and technician who occupy passenger seat are not shown in the crew section on Loadsheet

|                                   |  |
|-----------------------------------|--|
| <b>SUBJECT</b>                    | DRY OPERATING WEIGHT AND INDEX TABLE & EFFECTIVE LOADTRIMSHEET |
| <b>BULLETIN NUMBER-ISSUE DATE</b> | 2016/ Rev.05 - 25.Oct 2016                                     |
| <b>EFFECTIVE DATE</b>             | 27 OCT2016   |
| <b>EXPIRY DATE(*)</b>             | UFN  |

**TC-JOU**

MANUAL LOADTRIMSHEETS WITH FOLLOWING REF.CODES ARE EFFECTIVE "17.APR.2015 LOAD&TRIM SHEET A330-243F"

Select the proper DOW/DOI from the below table prepared for several possible standard cockpit/cabin crew,pantry codes & potable water tanks fill ratio. All weights are in KG

| % 100 POTABLE WATER |                |                | % 75 POTABLE WATER |                |                | % 50 POTABLE WATER |                |                | % 25 POTABLE WATER |                |                |
|---------------------|----------------|----------------|--------------------|----------------|----------------|--------------------|----------------|----------------|--------------------|----------------|----------------|
| PANTRY CODES        |                |                | PANTRY CODES       |                |                | PANTRY CODES       |                |                | PANTRY CODES       |                |                |
| CR<br>E<br>W        | A              | N              | CR<br>E<br>W       | A              | N              | CR<br>E<br>W       | A              | N              | CR<br>E<br>W       | A              | N              |
| 2/<br>0             | 109878<br>71.2 | 109853<br>71.4 | 2/<br>0            | 109853<br>71.3 | 109828<br>71.5 | 2/<br>0            | 109828<br>71.4 | 109803<br>71.6 | 2/<br>0            | 109803<br>71.5 | 109778<br>71.7 |
| 2/<br>1             | 109963<br>70.4 | 109938<br>70.6 | 2/<br>1            | 109938<br>70.5 | 109913<br>70.7 | 2/<br>1            | 109913<br>70.6 | 109888<br>70.8 | 2/<br>1            | 109888<br>70.7 | 109863<br>70.9 |
| 2/<br>2             | 110048<br>69.6 | 110023<br>69.8 | 2/<br>2            | 110023<br>69.7 | 109998<br>69.9 | 2/<br>2            | 109998<br>69.8 | 109973<br>70   | 2/<br>2            | 109973<br>69.9 | 109948<br>70.1 |
| 2/<br>3             | 110133<br>68.9 | 110108<br>69.1 | 2/<br>3            | 110108<br>69   | 110083<br>69.2 | 2/<br>3            | 110083<br>69.1 | 110058<br>69.3 | 2/<br>3            | 110058<br>69.2 | 110033<br>69.4 |
| 2/<br>4             | 110218<br>68.1 | 110193<br>68.3 | 2/<br>4            | 110193<br>68.2 | 110168<br>68.4 | 2/<br>4            | 110168<br>68.3 | 110143<br>68.5 | 2/<br>4            | 110143<br>68.4 | 110118<br>68.6 |
| 3/<br>0             | 109963<br>70.3 | 109938<br>70.5 | 3/<br>0            | 109938<br>70.4 | 109913<br>70.6 | 3/<br>0            | 109913<br>70.5 | 109888<br>70.7 | 3/<br>0            | 109888<br>70.6 | 109863<br>70.8 |
| 3/<br>1             | 110048<br>69.5 | 110023<br>69.7 | 3/<br>1            | 110023<br>69.6 | 109998<br>69.8 | 3/<br>1            | 109998<br>69.7 | 109973<br>69.9 | 3/<br>1            | 109973<br>69.8 | 109948<br>70   |
| 3/<br>2             | 110133<br>68.7 | 110108<br>68.9 | 3/<br>2            | 110108<br>68.8 | 110083<br>69   | 3/<br>2            | 110083<br>68.9 | 110058<br>69.1 | 3/<br>2            | 110058<br>69   | 110033<br>69.2 |
| 3/<br>3             | 110218<br>68   | 110193<br>68.2 | 3/<br>3            | 110193<br>68.1 | 110168<br>68.3 | 3/<br>3            | 110168<br>68.2 | 110143<br>68.4 | 3/<br>3            | 110143<br>68.3 | 110118<br>68.5 |
| 3/<br>4             | 110303<br>67.2 | 110278<br>67.4 | 3/<br>4            | 110278<br>67.3 | 110253<br>67.5 | 3/<br>4            | 110253<br>67.4 | 110228<br>67.6 | 3/<br>4            | 110228<br>67.5 | 110203<br>67.7 |
| 4/<br>0             | 110048<br>69.4 | 110023<br>69.6 | 4/<br>0            | 110023<br>69.5 | 109998<br>69.7 | 4/<br>0            | 109998<br>69.6 | 109973<br>69.8 | 4/<br>0            | 109973<br>69.7 | 109948<br>69.9 |
| 4/<br>1             | 110133<br>68.6 | 110108<br>68.8 | 4/<br>1            | 110108<br>68.7 | 110083<br>68.9 | 4/<br>1            | 110083<br>68.8 | 110058<br>69   | 4/<br>1            | 110058<br>68.9 | 110033<br>69.1 |
| 4/<br>2             | 110218<br>67.8 | 110193<br>68   | 4/<br>2            | 110193<br>67.9 | 110168<br>68.1 | 4/<br>2            | 110168<br>68   | 110143<br>68.2 | 4/<br>2            | 110143<br>68.1 | 110118<br>68.3 |
| 4/<br>3             | 110303<br>67.1 | 110278<br>67.3 | 4/<br>3            | 110278<br>67.2 | 110253<br>67.4 | 4/<br>3            | 110253<br>67.3 | 110228<br>67.5 | 4/<br>3            | 110228<br>67.4 | 110203<br>67.6 |
| 4/<br>4             | 110388<br>66.3 | 110363<br>66.5 | 4/<br>4            | 110363<br>66.4 | 110338<br>66.6 | 4/<br>4            | 110338<br>66.5 | 110313<br>66.7 | 4/<br>4            | 110313<br>66.6 | 110288<br>66.8 |

REMARKS: A ER FLIGHTS N All International flight

DOI calculation remark : During Index Calculations due to DCS system rounding (or truncating), approximately +/- 0.3 index difference is acceptable.

**Note:** In case of occupying passenger seats rather than crew seats by cockpit/cabin crew/ and/or technician who are on duty;

- Crew(Cabin crew:75 kgs Cockpit crew:85 kgs) and technician (85 kgs) weights and their index influence based on passenger seats shall be added to DOW/DOI values on AHM tables.
- Cabin crew and technician who occupy passenger seat are not shown in the crew section on Loadsheet

|                                   |  |
|-----------------------------------|--|
| <b>SUBJECT</b>                    | DRY OPERATING WEIGHT AND INDEX TABLE & EFFECTIVE LOADTRIMSHEET |
| <b>BULLETIN NUMBER-ISSUE DATE</b> | 2016/ Rev.04 - 5.MAY 2016                                      |
| <b>EFFECTIVE DATE</b>             | 05.MAY.2015  |
| <b>EXPIRY DATE(*)</b>             | UFN  |

**TC-JOV**

MANUAL LOADTRIMSHEETS WITH FOLLOWING REF.CODES ARE EFFECTIVE "31.MAY.2013 LOAD&TRIM SHEET A330-243F"

Select the proper DOW/DOI from the below table prepared for several possible standard cockpit/cabin crew,pantry codes & potable water tanks fill ratio. All weights are in KG

| % 100 POTABLE WATER |                |                | % 75 POTABLE WATER |                |                | % 50 POTABLE WATER |                |                | % 25 POTABLE WATER |                |                |
|---------------------|----------------|----------------|--------------------|----------------|----------------|--------------------|----------------|----------------|--------------------|----------------|----------------|
| PANTRY CODES        |                |                | PANTRY CODES       |                |                | PANTRY CODES       |                |                | PANTRY CODES       |                |                |
| CR<br>E<br>W        | A              | N              | CR<br>E<br>W       | A              | N              | CR<br>E<br>W       | A              | N              | CR<br>E<br>W       | A              | N              |
| 2/<br>0             | 109724<br>70   | 109699<br>70.2 | 2/<br>0            | 109699<br>70.1 | 109674<br>70.3 | 2/<br>0            | 109674<br>70.2 | 109649<br>70.4 | 2/<br>0            | 109649<br>70.3 | 109624<br>70.5 |
| 2/<br>1             | 109809<br>69.2 | 109784<br>69.4 | 2/<br>1            | 109784<br>69.3 | 109759<br>69.5 | 2/<br>1            | 109759<br>69.4 | 109734<br>69.6 | 2/<br>1            | 109734<br>69.5 | 109709<br>69.7 |
| 2/<br>2             | 109894<br>68.4 | 109869<br>68.6 | 2/<br>2            | 109869<br>68.5 | 109844<br>68.7 | 2/<br>2            | 109844<br>68.6 | 109819<br>68.8 | 2/<br>2            | 109819<br>68.7 | 109794<br>68.9 |
| 2/<br>3             | 109979<br>67.7 | 109954<br>67.9 | 2/<br>3            | 109954<br>67.8 | 109929<br>68   | 2/<br>3            | 109929<br>67.9 | 109904<br>68.1 | 2/<br>3            | 109904<br>68   | 109879<br>68.2 |
| 2/<br>4             | 110064<br>66.9 | 110039<br>67.1 | 2/<br>4            | 110039<br>67   | 110014<br>67.2 | 2/<br>4            | 110014<br>67.1 | 109989<br>67.3 | 2/<br>4            | 109989<br>67.2 | 109964<br>67.4 |
| 3/<br>0             | 109809<br>69.1 | 109784<br>69.3 | 3/<br>0            | 109784<br>69.2 | 109759<br>69.4 | 3/<br>0            | 109759<br>69.3 | 109734<br>69.5 | 3/<br>0            | 109734<br>69.4 | 109709<br>69.6 |
| 3/<br>1             | 109894<br>68.3 | 109869<br>68.5 | 3/<br>1            | 109869<br>68.4 | 109844<br>68.6 | 3/<br>1            | 109844<br>68.5 | 109819<br>68.7 | 3/<br>1            | 109819<br>68.6 | 109794<br>68.8 |
| 3/<br>2             | 109979<br>67.5 | 109954<br>67.7 | 3/<br>2            | 109954<br>67.6 | 109929<br>67.8 | 3/<br>2            | 109929<br>67.7 | 109904<br>67.9 | 3/<br>2            | 109904<br>67.8 | 109879<br>68   |
| 3/<br>3             | 110064<br>66.8 | 110039<br>67   | 3/<br>3            | 110039<br>66.9 | 110014<br>67.1 | 3/<br>3            | 110014<br>67   | 109989<br>67.2 | 3/<br>3            | 109989<br>67.1 | 109964<br>67.3 |
| 3/<br>4             | 110149<br>66   | 110124<br>66.2 | 3/<br>4            | 110124<br>66.1 | 110099<br>66.3 | 3/<br>4            | 110099<br>66.2 | 110074<br>66.4 | 3/<br>4            | 110074<br>66.3 | 110049<br>66.5 |
| 4/<br>0             | 109894<br>68.2 | 109869<br>68.4 | 4/<br>0            | 109869<br>68.3 | 109844<br>68.5 | 4/<br>0            | 109844<br>68.4 | 109819<br>68.6 | 4/<br>0            | 109819<br>68.5 | 109794<br>68.7 |
| 4/<br>1             | 109979<br>67.4 | 109954<br>67.6 | 4/<br>1            | 109954<br>67.5 | 109929<br>67.7 | 4/<br>1            | 109929<br>67.6 | 109904<br>67.8 | 4/<br>1            | 109904<br>67.7 | 109879<br>67.9 |
| 4/<br>2             | 110064<br>66.6 | 110039<br>66.8 | 4/<br>2            | 110039<br>66.7 | 110014<br>66.9 | 4/<br>2            | 110014<br>66.8 | 109989<br>67   | 4/<br>2            | 109989<br>66.9 | 109964<br>67.1 |
| 4/<br>3             | 110149<br>65.9 | 110124<br>66.1 | 4/<br>3            | 110124<br>66   | 110099<br>66.2 | 4/<br>3            | 110099<br>66.1 | 110074<br>66.3 | 4/<br>3            | 110074<br>66.2 | 110049<br>66.4 |
| 4/<br>4             | 110234<br>65.1 | 110209<br>65.3 | 4/<br>4            | 110209<br>65.2 | 110184<br>65.4 | 4/<br>4            | 110184<br>65.3 | 110159<br>65.5 | 4/<br>4            | 110159<br>65.4 | 110134<br>65.6 |

REMARKS: A ER FLIGHTS N All International flight

DOI calculation remark : During Index Calculations due to DCS system rounding (or truncating), approximately +/- 0.3 index difference is acceptable.

**Note:** In case of occupying passenger seats rather than crew seats by cockpit/cabin crew/ and/or technician who are on duty;

• Crew/Cabin crew:75 kgs Cockpit crew:85 kgs) and technician (85 kgs) weights and their index influence based on passenger seats shall be added to DOW/DOI values on AHM tables.

• Cabin crew and technician who occupy passenger seat are not shown in the crew section on Loadsheet

|                                   |  |
|-----------------------------------|--|
| <b>SUBJECT</b>                    | DRY OPERATING WEIGHT AND INDEX TABLE & EFFECTIVE LOADTRIMSHEET |
| <b>BULLETIN NUMBER-ISSUE DATE</b> | 2016/ Rev.05 - 25.Oct 2016                                     |
| <b>EFFECTIVE DATE</b>             | 27 OCT2016   |
| <b>EXPIRY DATE(*)</b>             | UFN  |

**TC-JOY**

MANUAL LOADTRIMSHEETS WITH FOLLOWING REF.CODES ARE EFFECTIVE "31.MAY.2013 LOAD&TRIM SHEET A330-243F"

Select the proper DOW/DOI from the below table prepared for several possible standard cockpit/cabin crew,pantry codes & potable water tanks fill ratio. All weights are in KG

| % 100 POTABLE WATER |                |                | % 75 POTABLE WATER |                |                | % 50 POTABLE WATER |                |                | % 25 POTABLE WATER |                |                |
|---------------------|----------------|----------------|--------------------|----------------|----------------|--------------------|----------------|----------------|--------------------|----------------|----------------|
| PANTRY CODES        |                |                | PANTRY CODES       |                |                | PANTRY CODES       |                |                | PANTRY CODES       |                |                |
| CR<br>E<br>W        | A              | N              | CR<br>E<br>W       | A              | N              | CR<br>E<br>W       | A              | N              | CR<br>E<br>W       | A              | N              |
| 2/<br>0             | 109836<br>70.1 | 109811<br>70.3 | 2/<br>0            | 109811<br>70.2 | 109786<br>70.4 | 2/<br>0            | 109786<br>70.3 | 109761<br>70.5 | 2/<br>0            | 109761<br>70.4 | 109736<br>70.6 |
| 2/<br>1             | 109921<br>69.3 | 109896<br>69.5 | 2/<br>1            | 109896<br>69.4 | 109871<br>69.6 | 2/<br>1            | 109871<br>69.5 | 109846<br>69.7 | 2/<br>1            | 109846<br>69.6 | 109821<br>69.8 |
| 2/<br>2             | 110006<br>68.5 | 109981<br>68.7 | 2/<br>2            | 109981<br>68.6 | 109956<br>68.8 | 2/<br>2            | 109956<br>68.7 | 109931<br>68.9 | 2/<br>2            | 109931<br>68.8 | 109906<br>69   |
| 2/<br>3             | 110091<br>67.8 | 110066<br>68   | 2/<br>3            | 110066<br>67.9 | 110041<br>68.1 | 2/<br>3            | 110041<br>68   | 110016<br>68.2 | 2/<br>3            | 110016<br>68.1 | 109991<br>68.3 |
| 2/<br>4             | 110176<br>67   | 110151<br>67.2 | 2/<br>4            | 110151<br>67.1 | 110126<br>67.3 | 2/<br>4            | 110126<br>67.2 | 110101<br>67.4 | 2/<br>4            | 110101<br>67.3 | 110076<br>67.5 |
| 3/<br>0             | 109921<br>69.2 | 109896<br>69.4 | 3/<br>0            | 109896<br>69.3 | 109871<br>69.5 | 3/<br>0            | 109871<br>69.4 | 109846<br>69.6 | 3/<br>0            | 109846<br>69.5 | 109821<br>69.7 |
| 3/<br>1             | 110006<br>68.4 | 109981<br>68.6 | 3/<br>1            | 109981<br>68.5 | 109956<br>68.7 | 3/<br>1            | 109956<br>68.6 | 109931<br>68.8 | 3/<br>1            | 109931<br>68.7 | 109906<br>68.9 |
| 3/<br>2             | 110091<br>67.6 | 110066<br>67.8 | 3/<br>2            | 110066<br>67.7 | 110041<br>67.9 | 3/<br>2            | 110041<br>67.8 | 110016<br>68   | 3/<br>2            | 110016<br>67.9 | 109991<br>68.1 |
| 3/<br>3             | 110176<br>66.9 | 110151<br>67.1 | 3/<br>3            | 110151<br>67   | 110126<br>67.2 | 3/<br>3            | 110126<br>67.1 | 110101<br>67.3 | 3/<br>3            | 110101<br>67.2 | 110076<br>67.4 |
| 3/<br>4             | 110261<br>66.1 | 110236<br>66.3 | 3/<br>4            | 110236<br>66.2 | 110211<br>66.4 | 3/<br>4            | 110211<br>66.3 | 110186<br>66.5 | 3/<br>4            | 110186<br>66.4 | 110161<br>66.6 |
| 4/<br>0             | 110006<br>68.3 | 109981<br>68.5 | 4/<br>0            | 109981<br>68.4 | 109956<br>68.6 | 4/<br>0            | 109956<br>68.5 | 109931<br>68.7 | 4/<br>0            | 109931<br>68.6 | 109906<br>68.8 |
| 4/<br>1             | 110091<br>67.5 | 110066<br>67.7 | 4/<br>1            | 110066<br>67.6 | 110041<br>67.8 | 4/<br>1            | 110041<br>67.7 | 110016<br>67.9 | 4/<br>1            | 110016<br>67.8 | 109991<br>68   |
| 4/<br>2             | 110176<br>66.7 | 110151<br>66.9 | 4/<br>2            | 110151<br>66.8 | 110126<br>67   | 4/<br>2            | 110126<br>66.9 | 110101<br>67.1 | 4/<br>2            | 110101<br>67   | 110076<br>67.2 |
| 4/<br>3             | 110261<br>66   | 110236<br>66.2 | 4/<br>3            | 110236<br>66.1 | 110211<br>66.3 | 4/<br>3            | 110211<br>66.2 | 110186<br>66.4 | 4/<br>3            | 110186<br>66.3 | 110161<br>66.5 |
| 4/<br>4             | 110346<br>65.2 | 110321<br>65.4 | 4/<br>4            | 110321<br>65.3 | 110296<br>65.5 | 4/<br>4            | 110296<br>65.4 | 110271<br>65.6 | 4/<br>4            | 110271<br>65.5 | 110246<br>65.7 |

REMARKS: A ER FLIGHTS N All International flight  
 DOI calculation remark : During Index Calculations due to DCS system rounding (or truncating), approximately +/- 0.3 index difference is acceptable.  
**Note:** In case of occupying passenger seats rather than crew seats by cockpit/cabin crew/ and/or technician who are on duty;  
 • Crew(Cabin crew:75 kgs Cockpit crew:85 kgs) and technician (85 kgs) weights and their index influence based on passenger seats shall be added to DOW/DOI values on AHM tables.  
 • Cabin crew and technician who occupy passenger seat are not shown in the crew section on Loadsheet



|                                   |  |
|-----------------------------------|--|
| <b>SUBJECT</b>                    | DRY OPERATING WEIGHT AND INDEX TABLE & EFFECTIVE LOADTRIMSHEET |
| <b>BULLETIN NUMBER-ISSUE DATE</b> | 2017/ Rev.07 - 25.Jan. 2017                                    |
| <b>EFFECTIVE DATE</b>             | 25.Jan. 2017   |
| <b>EXPIRY DATE(*)</b>             | UFN  |

**TC-JOZ**

MANUAL LOADTRIMSHEETS WITH FOLLOWING REF.CODES ARE EFFECTIVE "31.MAY.2013 LOAD&TRIM SHEET A330-243E"

Select the proper DOW/DOI from the below table prepared for several possible standard cockpit/cabin crew,pantry codes & potable water tanks fill ratio. All weights are in KG

| % 100 POTABLE WATER |                |                | % 75 POTABLE WATER |                |                | % 50 POTABLE WATER |                |                | % 25 POTABLE WATER |                |                |
|---------------------|----------------|----------------|--------------------|----------------|----------------|--------------------|----------------|----------------|--------------------|----------------|----------------|
| PANTRY CODES        |                |                | PANTRY CODES       |                |                | PANTRY CODES       |                |                | PANTRY CODES       |                |                |
| CR                  | A              | N              | CR                 | A              | N              | CR                 | A              | N              | CR                 | A              | N              |
| E                   |                |                | E                  |                |                | E                  |                |                | E                  |                |                |
| W                   |                |                | W                  |                |                | W                  |                |                | W                  |                |                |
| 2/0                 | 109740<br>69.4 | 109715<br>69.6 | 2/0                | 109715<br>69.5 | 109690<br>69.7 | 2/0                | 109690<br>69.6 | 109665<br>69.8 | 2/0                | 109665<br>69.7 | 109640<br>69.9 |
| 2/1                 | 109825<br>68.6 | 109800<br>68.8 | 2/1                | 109800<br>68.7 | 109775<br>68.9 | 2/1                | 109775<br>68.8 | 109750<br>69   | 2/1                | 109750<br>68.9 | 109725<br>69.1 |
| 2/2                 | 109910<br>67.8 | 109885<br>68   | 2/2                | 109885<br>67.9 | 109860<br>68.1 | 2/2                | 109860<br>68   | 109835<br>68.2 | 2/2                | 109835<br>68.1 | 109810<br>68.3 |
| 2/3                 | 109995<br>67.1 | 109970<br>67.3 | 2/3                | 109970<br>67.2 | 109945<br>67.4 | 2/3                | 109945<br>67.3 | 109920<br>67.5 | 2/3                | 109920<br>67.4 | 109895<br>67.6 |
| 2/4                 | 110080<br>66.3 | 110055<br>66.5 | 2/4                | 110055<br>66.4 | 110030<br>66.6 | 2/4                | 110030<br>66.5 | 110005<br>66.7 | 2/4                | 110005<br>66.6 | 109980<br>66.8 |
| 3/0                 | 109825<br>68.5 | 109800<br>68.7 | 3/0                | 109800<br>68.6 | 109775<br>68.8 | 3/0                | 109775<br>68.7 | 109750<br>68.9 | 3/0                | 109750<br>68.8 | 109725<br>69   |
| 3/1                 | 109910<br>67.7 | 109885<br>67.9 | 3/1                | 109885<br>67.8 | 109860<br>68   | 3/1                | 109860<br>67.9 | 109835<br>68.1 | 3/1                | 109835<br>68   | 109810<br>68.2 |
| 3/2                 | 109995<br>66.9 | 109970<br>67.1 | 3/2                | 109970<br>67   | 109945<br>67.2 | 3/2                | 109945<br>67.1 | 109920<br>67.3 | 3/2                | 109920<br>67.2 | 109895<br>67.4 |
| 3/3                 | 110080<br>66.2 | 110055<br>66.4 | 3/3                | 110055<br>66.3 | 110030<br>66.5 | 3/3                | 110030<br>66.4 | 110005<br>66.6 | 3/3                | 110005<br>66.5 | 109980<br>66.7 |
| 3/4                 | 110165<br>65.4 | 110140<br>65.6 | 3/4                | 110140<br>65.5 | 110115<br>65.7 | 3/4                | 110115<br>65.6 | 110090<br>65.8 | 3/4                | 110090<br>65.7 | 110065<br>65.9 |
| 4/0                 | 109910<br>67.6 | 109885<br>67.8 | 4/0                | 109885<br>67.7 | 109860<br>67.9 | 4/0                | 109860<br>67.8 | 109835<br>68   | 4/0                | 109835<br>67.9 | 109810<br>68.1 |
| 4/1                 | 109995<br>66.8 | 109970<br>67   | 4/1                | 109970<br>66.9 | 109945<br>67.1 | 4/1                | 109945<br>67   | 109920<br>67.2 | 4/1                | 109920<br>67.1 | 109895<br>67.3 |
| 4/2                 | 110080<br>66   | 110055<br>66.2 | 4/2                | 110055<br>66.1 | 110030<br>66.3 | 4/2                | 110030<br>66.2 | 110005<br>66.4 | 4/2                | 110005<br>66.3 | 109980<br>66.5 |
| 4/3                 | 110165<br>65.3 | 110140<br>65.5 | 4/3                | 110140<br>65.4 | 110115<br>65.6 | 4/3                | 110115<br>65.5 | 110090<br>65.7 | 4/3                | 110090<br>65.6 | 110065<br>65.8 |
| 4/4                 | 110250<br>64.5 | 110225<br>64.7 | 4/4                | 110225<br>64.6 | 110200<br>64.8 | 4/4                | 110200<br>64.7 | 110175<br>64.9 | 4/4                | 110175<br>64.8 | 110150<br>65   |

REMARKS: A ER FLIGHTS N All International flight  
DOI calculation remark : During Index Calculations due to DCS system rounding (or truncating), approximately +/- 0.3 index difference is acceptable.  
**Note:** In case of occupying passenger seats rather than crew seats by cockpit/cabin crew/ and/or technician who are on duty;  
• Crew(Cabin crew:75 kgs Cockpit crew:85 kgs) and technician (85 kgs) weights and their index influence based on passenger seats shall be added to DOW/DOI values on AHM tables.  
• Cabin crew and technician who occupy passenger seat are not shown in the crew section on Loadsheets