

<b>SUBJECT</b>	DRY OPERATING WEIGHT AND INDEX TABLE & EFFECTIVE LOADTRIMSHEET
<b>BULLETIN NUMBER-ISSUE DATE</b>	2017/ Rev.0 - 5.Dec.2017
<b>EFFECTIVE DATE</b>	5.Dec.2017
<b>EXPIRY DATE(*)</b>	UFN

**TC-LJL**

MANUAL LOADTRIMSHEETS WITH FOLLOWING REF.CODES ARE EFFECTIVE "05.DEC.2017 LOAD&TRIM SHEET B777F"

Select the proper DOW/DOI from the below table prepared for several possible standard cockpit/cabin crew,pantry codes & potable water tanks fill ratio. All weights are in KG

% 100 POTABLE WATER			% 75 POTABLE WATER			% 50 POTABLE WATER			% 25 POTABLE WATER		
CREW	PANTRY CODES		CREW	PANTRY CODES		CREW	PANTRY CODES		CREW	PANTRY CODES	
	A	N		A	N		A	N		A	N
2/0	141335 38.4	141310 38.5	2/0	141296 38.5	141271 38.6	2/0	141257 38.5	141232 38.6	2/0	141218 38.6	141193 38.7
2/1	141420 38.1	141395 38.2	2/1	141381 38.2	141356 38.3	2/1	141342 38.2	141317 38.3	2/1	141303 38.3	141278 38.4
2/2	141505 37.8	141480 37.9	2/2	141466 37.9	141441 38	2/2	141427 37.9	141402 38	2/2	141388 38	141363 38.1
2/3	141590 37.5	141565 37.6	2/3	141551 37.6	141526 37.7	2/3	141512 37.6	141487 37.7	2/3	141473 37.7	141448 37.8
2/4	141675 37.2	141650 37.3	2/4	141636 37.3	141611 37.4	2/4	141597 37.3	141572 37.4	2/4	141558 37.4	141533 37.5
3/0	141420 38	141395 38.1	3/0	141381 38.1	141356 38.2	3/0	141342 38.1	141317 38.2	3/0	141303 38.2	141278 38.3
3/1	141505 37.7	141480 37.8	3/1	141466 37.8	141441 37.9	3/1	141427 37.8	141402 37.9	3/1	141388 37.9	141363 38
3/2	141590 37.4	141565 37.5	3/2	141551 37.5	141526 37.6	3/2	141512 37.5	141487 37.6	3/2	141473 37.6	141448 37.7
3/3	141675 37.1	141650 37.2	3/3	141636 37.2	141611 37.3	3/3	141597 37.2	141572 37.3	3/3	141558 37.3	141533 37.4
3/4	141760 36.8	141735 36.9	3/4	141721 36.9	141696 37	3/4	141682 36.9	141657 37	3/4	141643 37	141618 37.1
4/0	141505 37.7	141480 37.8	4/0	141466 37.8	141441 37.9	4/0	141427 37.8	141402 37.9	4/0	141388 37.9	141363 38
4/1	141590 37.4	141565 37.5	4/1	141551 37.5	141526 37.6	4/1	141512 37.5	141487 37.6	4/1	141473 37.6	141448 37.7
4/2	141675 37.1	141650 37.2	4/2	141636 37.2	141611 37.3	4/2	141597 37.2	141572 37.3	4/2	141558 37.3	141533 37.4
4/3	141760 36.8	141735 36.9	4/3	141721 36.9	141696 37	4/3	141682 36.9	141657 37	4/3	141643 37	141618 37.1
4/4	141845 36.5	141820 36.6	4/4	141806 36.6	141781 36.7	4/4	141767 36.6	141742 36.7	4/4	141728 36.7	141703 36.8

REMARKS: A ER FLIGHTS N All International flight  
DOI calculation remark : During Index Calculations due to DCS system rounding (or truncating), approximately +/- 0.3 index difference is acceptable.

<b>SUBJECT</b>	DRY OPERATING WEIGHT AND INDEX TABLE & EFFECTIVE LOADTRIMSHEET
<b>BULLETIN NUMBER-ISSUE DATE</b>	2017/ Rev.1 - 18.Dec.2017
<b>EFFECTIVE DATE</b>	18.Dec.2017
<b>EXPIRY DATE(*)</b>	UFN

**TC-LJM**

MANUAL LOADTRIMSHEETS WITH FOLLOWING REF.CODES ARE EFFECTIVE "05.DEC.2017 LOAD&TRIM SHEET B777F"

Select the proper DOW/DOI from the below table prepared for several possible standard cockpit/cabin crew,pantry codes & potable water tanks fill ratio. All weights are in KG

% 100 POTABLE WATER			% 75 POTABLE WATER			% 50 POTABLE WATER			% 25 POTABLE WATER		
CREW	PANTRY CODES		CREW	PANTRY CODES		CREW	PANTRY CODES		CREW	PANTRY CODES	
	A	N		A	N		A	N		A	N
2/ 0	141290 38.3	141265 38.4	2/ 0	141251 38.4	141226 38.5	2/ 0	141212 38.4	141187 38.5	2/ 0	141173 38.5	141148 38.6
2/ 1	141375 38	141350 38.1	2/ 1	141336 38.1	141311 38.2	2/ 1	141297 38.1	141272 38.2	2/ 1	141258 38.2	141233 38.3
2/ 2	141460 37.7	141435 37.8	2/ 2	141421 37.8	141396 37.9	2/ 2	141382 37.8	141357 37.9	2/ 2	141343 37.9	141318 38
2/ 3	141545 37.4	141520 37.5	2/ 3	141506 37.5	141481 37.6	2/ 3	141467 37.5	141442 37.6	2/ 3	141428 37.6	141403 37.7
2/ 4	141630 37.1	141605 37.2	2/ 4	141591 37.2	141566 37.3	2/ 4	141552 37.2	141527 37.3	2/ 4	141513 37.3	141488 37.4
3/ 0	141375 37.9	141350 38	3/ 0	141336 38	141311 38.1	3/ 0	141297 38	141272 38.1	3/ 0	141258 38.1	141233 38.2
3/ 1	141460 37.6	141435 37.7	3/ 1	141421 37.7	141396 37.8	3/ 1	141382 37.7	141357 37.8	3/ 1	141343 37.8	141318 37.9
3/ 2	141545 37.3	141520 37.4	3/ 2	141506 37.4	141481 37.5	3/ 2	141467 37.4	141442 37.5	3/ 2	141428 37.5	141403 37.6
3/ 3	141630 37	141605 37.1	3/ 3	141591 37.1	141566 37.2	3/ 3	141552 37.1	141527 37.2	3/ 3	141513 37.2	141488 37.3
3/ 4	141715 36.7	141690 36.8	3/ 4	141676 36.8	141651 36.9	3/ 4	141637 36.8	141612 36.9	3/ 4	141598 36.9	141573 37
4/ 0	141460 37.6	141435 37.7	4/ 0	141421 37.7	141396 37.8	4/ 0	141382 37.7	141357 37.8	4/ 0	141343 37.8	141318 37.9
4/ 1	141545 37.3	141520 37.4	4/ 1	141506 37.4	141481 37.5	4/ 1	141467 37.4	141442 37.5	4/ 1	141428 37.5	141403 37.6
4/ 2	141630 37	141605 37.1	4/ 2	141591 37.1	141566 37.2	4/ 2	141552 37.1	141527 37.2	4/ 2	141513 37.2	141488 37.3
4/ 3	141715 36.7	141690 36.8	4/ 3	141676 36.8	141651 36.9	4/ 3	141637 36.8	141612 36.9	4/ 3	141598 36.9	141573 37
4/ 4	141800 36.4	141775 36.5	4/ 4	141761 36.5	141736 36.6	4/ 4	141722 36.5	141697 36.6	4/ 4	141683 36.6	141658 36.7

REMARKS: A ER FLIGHTS N All International flight

DOI calculation remark : During Index Calculations due to DCS system rounding (or truncating), approximately +/- 0.3 index difference is acceptable.

<b>SUBJECT</b>	DRY OPERATING WEIGHT AND INDEX TABLE & EFFECTIVE LOADTRIMSHEET
<b>BULLETIN NUMBER-ISSUE DATE</b>	2018/ Rev.2 - 25.Sep.2018
<b>EFFECTIVE DATE</b>	25.Sep.2018
<b>EXPIRY DATE(*)</b>	UFN

**TC-LJN**

MANUAL LOADTRIMSHEETS WITH FOLLOWING REF.CODES ARE EFFECTIVE "05.DEC.2017 LOAD&TRIM SHEET B777F"

Select the proper DOW/DOI from the below table prepared for several possible standard cockpit/cabin crew,pantry codes & potable water tanks fill ratio. All weights are in KG

% 100 POTABLE WATER			% 75 POTABLE WATER			% 50 POTABLE WATER			% 25 POTABLE WATER		
CREW	PANTRY CODES		CREW	PANTRY CODES		CREW	PANTRY CODES		CREW	PANTRY CODES	
	A	N		A	N		A	N		A	N
2/ 0	141366 38.3	141341 38.4	2/ 0	141327 38.4	141302 38.5	2/ 0	141288 38.4	141263 38.5	2/ 0	141249 38.5	141224 38.6
2/ 1	141451 38	141426 38.1	2/ 1	141412 38.1	141387 38.2	2/ 1	141373 38.1	141348 38.2	2/ 1	141334 38.2	141309 38.3
2/ 2	141536 37.7	141511 37.8	2/ 2	141497 37.8	141472 37.9	2/ 2	141458 37.8	141433 37.9	2/ 2	141419 37.9	141394 38
2/ 3	141621 37.4	141596 37.5	2/ 3	141582 37.5	141557 37.6	2/ 3	141543 37.5	141518 37.6	2/ 3	141504 37.6	141479 37.7
2/ 4	141706 37.1	141681 37.2	2/ 4	141667 37.2	141642 37.3	2/ 4	141628 37.2	141603 37.3	2/ 4	141589 37.3	141564 37.4
3/ 0	141451 37.9	141426 38	3/ 0	141412 38	141387 38.1	3/ 0	141373 38	141348 38.1	3/ 0	141334 38.1	141309 38.2
3/ 1	141536 37.6	141511 37.7	3/ 1	141497 37.7	141472 37.8	3/ 1	141458 37.7	141433 37.8	3/ 1	141419 37.8	141394 37.9
3/ 2	141621 37.3	141596 37.4	3/ 2	141582 37.4	141557 37.5	3/ 2	141543 37.4	141518 37.5	3/ 2	141504 37.5	141479 37.6
3/ 3	141706 37	141681 37.1	3/ 3	141667 37.1	141642 37.2	3/ 3	141628 37.1	141603 37.2	3/ 3	141589 37.2	141564 37.3
3/ 4	141791 36.7	141766 36.8	3/ 4	141752 36.8	141727 36.9	3/ 4	141713 36.8	141688 36.9	3/ 4	141674 36.9	141649 37
4/ 0	141536 37.6	141511 37.7	4/ 0	141497 37.7	141472 37.8	4/ 0	141458 37.7	141433 37.8	4/ 0	141419 37.8	141394 37.9
4/ 1	141621 37.3	141596 37.4	4/ 1	141582 37.4	141557 37.5	4/ 1	141543 37.4	141518 37.5	4/ 1	141504 37.5	141479 37.6
4/ 2	141706 37	141681 37.1	4/ 2	141667 37.1	141642 37.2	4/ 2	141628 37.1	141603 37.2	4/ 2	141589 37.2	141564 37.3
4/ 3	141791 36.7	141766 36.8	4/ 3	141752 36.8	141727 36.9	4/ 3	141713 36.8	141688 36.9	4/ 3	141674 36.9	141649 37
4/ 4	141876 36.4	141851 36.5	4/ 4	141837 36.5	141812 36.6	4/ 4	141798 36.5	141773 36.6	4/ 4	141759 36.6	141734 36.7

REMARKS: A ER FLIGHTS N All International flight

DOI calculation remark : During Index Calculations due to DCS system rounding (or truncating), approximately +/- 0.3 index difference is acceptable.

<b>SUBJECT</b>	DRY OPERATING WEIGHT AND INDEX TABLE & EFFECTIVE LOADTRIMSHEET
<b>BULLETIN NUMBER-ISSUE DATE</b>	2018/ Rev.3 - 09.Nov.2018
<b>EFFECTIVE DATE</b>	10.Nov.2018
<b>EXPIRY DATE(*)</b>	UFN

**TC-LJO**

MANUAL LOADTRIMSHEETS WITH FOLLOWING REF.CODES ARE EFFECTIVE "05.DEC.2017 LOAD&TRIM SHEET B777F"

Select the proper DOW/DOI from the below table prepared for several possible standard cockpit/cabin crew,pantry codes & potable water tanks fill ratio. All weights are in KG

% 100 POTABLE WATER			% 75 POTABLE WATER			% 50 POTABLE WATER			% 25 POTABLE WATER		
CREW	PANTRY CODES		CREW	PANTRY CODES		CREW	PANTRY CODES		CREW	PANTRY CODES	
	A	N		A	N		A	N		A	N
2/0	141469 38.3	141444 38.4	2/0	141430 38.4	141405 38.5	2/0	141391 38.4	141366 38.5	2/0	141352 38.5	141327 38.6
2/1	141554 38	141529 38.1	2/1	141515 38.1	141490 38.2	2/1	141476 38.1	141451 38.2	2/1	141437 38.2	141412 38.3
2/2	141639 37.7	141614 37.8	2/2	141600 37.8	141575 37.9	2/2	141561 37.8	141536 37.9	2/2	141522 37.9	141497 38
2/3	141724 37.4	141699 37.5	2/3	141685 37.5	141660 37.6	2/3	141646 37.5	141621 37.6	2/3	141607 37.6	141582 37.7
2/4	141809 37.1	141784 37.2	2/4	141770 37.2	141745 37.3	2/4	141731 37.2	141706 37.3	2/4	141692 37.3	141667 37.4
3/0	141554 37.9	141529 38	3/0	141515 38	141490 38.1	3/0	141476 38	141451 38.1	3/0	141437 38.1	141412 38.2
3/1	141639 37.6	141614 37.7	3/1	141600 37.7	141575 37.8	3/1	141561 37.7	141536 37.8	3/1	141522 37.8	141497 37.9
3/2	141724 37.3	141699 37.4	3/2	141685 37.4	141660 37.5	3/2	141646 37.4	141621 37.5	3/2	141607 37.5	141582 37.6
3/3	141809 37	141784 37.1	3/3	141770 37.1	141745 37.2	3/3	141731 37.1	141706 37.2	3/3	141692 37.2	141667 37.3
3/4	141894 36.7	141869 36.8	3/4	141855 36.8	141830 36.9	3/4	141816 36.8	141791 36.9	3/4	141777 36.9	141752 37
4/0	141639 37.6	141614 37.7	4/0	141600 37.7	141575 37.8	4/0	141561 37.7	141536 37.8	4/0	141522 37.8	141497 37.9
4/1	141724 37.3	141699 37.4	4/1	141685 37.4	141660 37.5	4/1	141646 37.4	141621 37.5	4/1	141607 37.5	141582 37.6
4/2	141809 37	141784 37.1	4/2	141770 37.1	141745 37.2	4/2	141731 37.1	141706 37.2	4/2	141692 37.2	141667 37.3
4/3	141894 36.7	141869 36.8	4/3	141855 36.8	141830 36.9	4/3	141816 36.8	141791 36.9	4/3	141777 36.9	141752 37
4/4	141979 36.4	141954 36.5	4/4	141940 36.5	141915 36.6	4/4	141901 36.5	141876 36.6	4/4	141862 36.6	141837 36.7

REMARKS: A ER FLIGHTS N All International flight

DOI calculation remark : During Index Calculations due to DCS system rounding (or truncating), approximately +/- 0.3 index difference is acceptable.



<b>SUBJECT</b>	DRY OPERATING WEIGHT AND INDEX TABLE & EFFECTIVE LOADTRIMSHEET
<b>BULLETIN NUMBER-ISSUE DATE</b>	2018/ Rev.3 - 12.Dec.2018
<b>EFFECTIVE DATE</b>	15.Dec.2018
<b>EXPIRY DATE(*)</b>	UFN

**TC-LJP**

MANUAL LOADTRIMSHEETS WITH FOLLOWING REF.CODES ARE EFFECTIVE "05.DEC.2017 LOAD&TRIM SHEET B777F"

Select the proper DOW/DOI from the below table prepared for several possible standard cockpit/cabin crew,pantry codes & potable water tanks fill ratio. All weights are in KG

% 100 POTABLE WATER			% 75 POTABLE WATER			% 50 POTABLE WATER			% 25 POTABLE WATER		
CREW	PANTRY CODES		CREW	PANTRY CODES		CREW	PANTRY CODES		CREW	PANTRY CODES	
	A	N		A	N		A	N		A	N
2/0	141424 38,3	141399 38,4	2/0	141385 38,4	141360 38,5	2/0	141346 38,4	141321 38,5	2/0	141307 38,5	141282 38,6
2/1	141509 38	141484 38,1	2/1	141470 38,1	141445 38,2	2/1	141431 38,1	141406 38,2	2/1	141392 38,2	141367 38,3
2/2	141594 37,7	141569 37,8	2/2	141555 37,8	141530 37,9	2/2	141516 37,8	141491 37,9	2/2	141477 37,9	141452 38
2/3	141679 37,4	141654 37,5	2/3	141640 37,5	141615 37,6	2/3	141601 37,5	141576 37,6	2/3	141562 37,6	141537 37,7
2/4	141764 37,1	141739 37,2	2/4	141725 37,2	141700 37,3	2/4	141686 37,2	141661 37,3	2/4	141647 37,3	141622 37,4
3/0	141509 37,9	141484 38	3/0	141470 38	141445 38,1	3/0	141431 38	141406 38,1	3/0	141392 38,1	141367 38,2
3/1	141594 37,6	141569 37,7	3/1	141555 37,7	141530 37,8	3/1	141516 37,7	141491 37,8	3/1	141477 37,8	141452 37,9
3/2	141679 37,3	141654 37,4	3/2	141640 37,4	141615 37,5	3/2	141601 37,4	141576 37,5	3/2	141562 37,5	141537 37,6
3/3	141764 37	141739 37,1	3/3	141725 37,1	141700 37,2	3/3	141686 37,1	141661 37,2	3/3	141647 37,2	141622 37,3
3/4	141849 36,7	141824 36,8	3/4	141810 36,8	141785 36,9	3/4	141771 36,8	141746 36,9	3/4	141732 36,9	141707 37
4/0	141594 37,6	141569 37,7	4/0	141555 37,7	141530 37,8	4/0	141516 37,7	141491 37,8	4/0	141477 37,8	141452 37,9
4/1	141679 37,3	141654 37,4	4/1	141640 37,4	141615 37,5	4/1	141601 37,4	141576 37,5	4/1	141562 37,5	141537 37,6
4/2	141764 37	141739 37,1	4/2	141725 37,1	141700 37,2	4/2	141686 37,1	141661 37,2	4/2	141647 37,2	141622 37,3
4/3	141849 36,7	141824 36,8	4/3	141810 36,8	141785 36,9	4/3	141771 36,8	141746 36,9	4/3	141732 36,9	141707 37
4/4	141934 36,4	141909 36,5	4/4	141895 36,5	141870 36,6	4/4	141856 36,5	141831 36,6	4/4	141817 36,6	141792 36,7

REMARKS: A ER FLIGHTS N All International flight

DOI calculation remark : During Index Calculations due to DCS system rounding (or truncating), approximately +/- 0.3 index difference is acceptable.